



NOTE:
ALL TREES SHOWN BEHIND PROPOSED
CLEARING LINE ARE TO BE RETAINED.

- LEGEND
- # PCR NO.
 - # DRIVEWAY NO.

CONTINUED ON
SHEET NO. 12

CONTINUED
BELOW



NOTE:
ALL TREES SHOWN BEHIND PROPOSED
CLEARING LINE ARE TO BE RETAINED.

- LEGEND
- # PCR NO.
 - # DRIVEWAY NO.

CONTINUED
ABOVE

CONTINUED ON
SHEET NO. 14

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
1	CB	200+49.6 13.5 LT	44.32		(2) 38.30	
2	LB	200+67.4 6.2 LT	44.53	(1) 38.00		

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
5	CB	202+53.7 5.9 RT	44.51	(7) 39.98	(10) 40.09	PROP FRAME & COVER
6	CB	202+53.6 11.5 RT	44.34		(10) 40.17	
7	EX CB	202+74.2 11.5 RT	44.36		(5) 40.37	REMODEL
8	LB	202+13.0 6.3 RT	45.05	(9) 39.51		
9	LB	202+29.4 6.6 RT	44.81	(10) 39.80	(8) 39.59	



MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
10	LB	202+45.5 6.3 RT	44.60	(5) 40.01 (6) 39.69	(9) 39.88	

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
18	CB	207+02.5 11.5 RT	52.19		(20) 47.89	
19	CB	207+02.9 15.4 LT	52.09		(20) 47.70	
20	LG	206+93.3 15.7 RT	52.53	(18) 47.79 (19) 46.79		

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
11	EX CB	205+45.5 14.5 LT	48.36		(16) 44.80	
12	CB	205+56.9 14.5 LT	48.45		(16) 43.87	
13	CB	205+44.2 11.5 RT	48.50		(15) 44.97	
14	CB	205+56.9 11.5 RT	48.60		(15) 44.94	
15	DMH	205+50.9 6.2 RT	48.79	(13) 44.93 (14) 44.90	(17) 43.00	

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
16	EX DMH	205+55.0 25.0 LT	48.97	(12) 43.80 (11) 44.42		
17	EX DMH	205+73.3 23.7 LT	46.45	(15) 42.45		

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
21	CB	208+49.9 15.9 LT	54.86		(25) 50.20	
22	CB	208+49.9 11.5 RT	54.87		(25) 51.23	
23	LG	208+44.6 16.2 RT	54.85	(25) 49.70		
25	DMH	208+44.9 6.4 RT	54.93	(21) 49.90 (22) 51.10 (26) 50.75	(23) 49.80	



CONTINUED BELOW



CONTINUED ABOVE

CONTINUED ON SHEET NO. 65

N/F
MICHAEL REVERUZZI
0 MILLSTONE ROAD
ASSESSORS' MAP/PARCEL: 101/23
DEED BOOK/PAGE: 2925/92


**TOWN OF BREWSTER
MILLSTONE ROAD
UTILITY PLANS
SHEET 65 OF 136**
ASSESSORS' MAP/PARCEL: 101/78
DEED BOOK/PAGE: 26314/34

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
27	CB	212+50.0 16.6 LT	65.36		(29) 61.36	
28	CB	212+50.3 11.5 RT	65.04		(29) 61.04	
29	DMH	212+41.7 6.1 RT	64.69	(28) 60.94 (27) 60.94	(26) 60.05	



MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
24	CB	210+49.0 17.3 LT	59.81		(26) 55.95	
26	DMH	210+38.6 6.2 RT	59.93	(24) 55.88 (29) 55.80	(25) 55.44	

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
30	CB	214+49.6 16.0 LT	75.82		(32) 71.82	
32	LG	214+43.6 4.1 RT	76.61	(30) 71.62		




N/F
JOHN A. R. REVERUZZI
118 MILLSTONE ROAD
ASSESSORS' MAP/PARCEL: 101/20
DEED BOOK/PAGE: 18727/105

CONTINUED ON SHEET NO. 64

CONTINUED ON SHEET NO. 66


**TOWN OF BREWSTER
MILLSTONE ROAD
UTILITY PLANS
SHEET 65 OF 136**
ASSESSORS' MAP/PARCEL: 101/100
DEED BOOK/PAGE: 26314/34

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
33	EX CB	216+43.9 16.1 LT	81.20		(36) 77.20	
34	CB	216+49.3 11.5 RT	81.78		(37) 77.73	
35	DMH	216+48.5 18.5 RT	82.36	(36) 76.60 (37) 76.50		
36	EX CB	216+58.4 18.4 RT	85.41	(33) 76.80 (35) 76.70		PROP FRAME & COVER
37	LG	216+41.8 6.1 RT	81.69	(35) 76.30 (34) 77.62		



MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
41	CB	220+35.7 15.5 LT	87.18		(43) 83.34	
42	CB	220+57.1 11.5 RT	87.55		(43) 83.69	
43	LG	220+48.5 4.8 RT	87.64	(41) 83.16 (42) 83.56		

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
38	CB	218+60.2 11.5 RT	86.34		(40) 82.28	
39	CB	218+66.9 15.4 LT	86.17		(40) 82.16	
40	LG	218+54.6 6.0 RT	86.19	(38) 82.23 (39) 82.05		




N/F
RICHARD F. CHIPMAN
174 MILLSTONE ROAD
ASSESSORS' MAP/PARCEL: 100/65

N/F
BRUCE H. & MARLYN
200 MILLSTONE ROAD

CONTINUED ON SHEET NO. 66


MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
82	CB	247+00.2 11.5 LT	106.12		(83) 102.12	
83	LG	247+01.0 18.6 LT	107.52	(82) 102.08		

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
84	GI	250+13.5 11.5 LT	106.05		(86) 102.05	
85	CB	250+13.0 14.9 RT	105.89		(87) 101.89	
86	CB	250+00.5 19.2 LT	106.10	(84) 101.50	(87) 101.15	PROP FRAME & COVER
87	LG	249+86.6 22.1 LT	103.53	(86) 98.53 (85) 99.33		



MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
88	CB	251+95.1 17.2 RT	105.07		(91) 101.04	
91	LG	252+05.3 22.2 RT	105.18	(88) 100.90		

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
92	CB	253+45.3 17.4 RT	104.64		(93) 100.52	
93	LG	253+69.6 16.0 RT	103.50	(92) 100.40		



MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
94	CB	255+20.7 27.8 LT	101.60		(96) 98.65	
96	LG	255+31.0 31.2 LT	101.74	(94) 98.40		
99	LB	254+12.2 27.0 RT	102.29	(247) 96.20	(100) 95.00	
100	LB	254+02.1 26.3 RT	102.96	(99) 94.95		


CONTINUED ON
SHEET NO. 67

CONTINUED
BELOW


CONTINUED
ABOVE

CONTINUED
ON
SHEET NO. 69

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
127	CB	269+50.0 11.4 RT	118.32		(128) 113.80	
128	LG	269+28.7 20.6 RT	117.64	(127) 113.64		



MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
129	CB	274+10.8 11.6 RT	119.92		(130) 116.12	
130	LG	274+05.8 4.0 RT	120.03	(129) 115.90 (251) 115.60		
251	CB	274+06.3 11.5 LT	119.94		(130) 115.82	



MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
138	EX CB	278+11.0 11.4 RT	115.58		(142) 111.58	REMODEL
139	CB	277+90.0 11.5 RT	115.75		(140) 111.76	
140	LB	277+89.8 0.1 RT	116.28	(139) 111.60	(141) 112.44	
141	LB	278+00.5 0.2 RT	116.33	(140) 112.30	(142) 112.49	

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
131	GI	276+19.2 11.5 LT	117.63		(132) 114.90	
132	CB	276+19.2 5.1 LT	117.94	(131) 114.85	(134) 113.69	PROP FRAME & COVER
134	LG	276+24.2 2.9 LT	117.99	(132) 113.50		

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
142	LB	278+11.2 0.2 RT	116.00	(138) 111.44 (141) 112.44		



MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
143	CB	280+09.9 18.5 RT	117.10		(146) 113.31	
144	GI	280+07.6 11.4 LT	117.06		(145) 114.74	
145	CB	280+04.8 6.0 LT	117.20	(144) 114.70	(146) 114.60	PROP FRAME & COVER
146	LG	279+98.9 8.0 LT	117.16	(145) 114.55 (143) 113.03		

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
221	CB	318+94.1 11.5 RT	109.45		(222) 105.45	
222	DMH	318+93.9 5.3 RT	109.49	(223) 105.30 (221) 105.42	(230) 105.50	
223	CB	319+14.0 11.5 RT	109.48		(222) 105.53	
224	GI	318+93.8 11.5 LT	109.39		(225) 105.43	
225	CB	318+94.0 5.8 LT	109.46	(226) 105.25 (224) 105.40	(230) 105.15	PROP FRAME & COVER

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
226	GI	319+13.8 11.5 LT	109.29		(225) 105.37	
228	LB	318+62.3 5.5 LT	109.55	(229) 104.80		
229	LB	318+73.0 5.6 LT	109.52	(230) 104.90 (228) 104.90		
230	LB	318+83.7 5.7 LT	109.50	(225) 105.10 (222) 105.35	(229) 105.00	

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
217	CB	317+45.7 11.5 RT	110.62		(220) 106.72	
218	GI	317+45.7 11.5 LT	110.43		(219) 106.48	
219	CB	317+45.7 5.0 LT	110.62	(218) 106.41 (220) 106.31		PROP FRAME & COVER
220	LG	317+42.8 7.0 RT	110.72	(219) 106.20 (217) 106.70		

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
236	GI	323+20.7 11.0 LT	109.88		(237) 107.55	
237	CB	323+20.8 5.5 LT	110.09	(236) 107.53 (239) 106.11		PROP FRAME & COVER
238	CB	323+20.5 16.7 RT	110.25		(239) 106.22	
239	LG	323+19.7 6.0 RT	110.35	(237) 106.00 (238) 106.10		



MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
231	GI	322+01.6 11.5 LT	108.98		(233) 106.78	
232	GI	322+31.0 11.5 LT	108.66		(233) 106.69	
233	CB	322+01.7 5.6 LT	109.30	(232) 106.52 (231) 106.75	(234) 105.44	PROP FRAME & COVER

MILLSTONE RD DRAINAGE STRUCTURE DATA						
NO.	TYPE	STATION	RIM ELEV.	INV. IN	INV. OUT	REMARKS
234	LB	321+91.9 7.4 LT	109.30	(233) 105.35 (235) 105.25		
235	LB	321+70.4 7.3 LT	109.55	(234) 105.10		

