

TOWN OF AYER DEPARTMENT OF PUBLIC WORKS

PLAN AND PROFILE OF

WEST MAIN STREET OVER NONACOICUS BROOK BRIDGE NO. A-19-014 (C1R)

IN THE TOWN OF

AYER


MIDDLESEX COUNTY

AYER WEST MAIN STREET			
STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		1	44
T&B PROJECT FILE NO.		17-023.01	
TITLE SHEET AND INDEX			

THESE PLANS ARE SUPPLEMENTED BY THE MASSDOT STANDARD SPECIFICATIONS FOR HIGHWAYS AND BRIDGES DATED 2024, INCLUDING ALL SUPPLEMENTED EDITIONS, THE OCTOBER 2017 CONSTRUCTION STANDARD DETAILS, THE 2015 OVERHEAD SIGNAL STRUCTURE AND FOUNDATION STANDARD DRAWINGS, MASSDOT TRAFFIC MANAGEMENT PLANS AND DETAIL DRAWINGS, THE LATEST MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES FOR STREETS AND HIGHWAYS WITH MASSACHUSETTS AMENDMENTS, THE 1990 STANDARD DRAWINGS FOR SIGNS AND SUPPORTS, THE 1968 STANDARD DRAWINGS FOR TRAFFIC SIGNALS AND HIGHWAY LIGHTING, AND THE LATEST EDITION OF THE AMERICAN STANDARD FOR NURSERY STOCK, WILL GOVERN.


INDEX

SHEET NO.	DESCRIPTION
1	TITLE SHEET AND INDEX
2	LEGEND, ABBREVIATIONS AND GENERAL NOTES
3	TYPICAL SECTIONS
4	CONSTRUCTION PLAN
5 - 6	CONSTRUCTION DETAILS
7	PROFILE
8	CURB TIE AND GRADING PLAN
9	DRAINAGE AND UTILITY PLAN
10	SIGN AND PAVEMENT MARKING PLAN
11 - 18	TEMPORARY TRAFFIC CONTROL PLANS
19	WETLAND REPLICATION PLAN & DETAILS
20 - 40	BRIDGE PLANS
41 - 44	CROSS SECTIONS - WEST MAIN STREET



DESIGN DESIGNATION (WEST MAIN STREET)

DESIGN SPEED	35 MPH
ADT (2018)	9,400
ADT (2038)	11,500
K	9%
D	52%
T (PEAK HOUR)	4%
T (AVERAGE DAY)	4%
DHV	1,030
DDHV	540
FUNCTIONAL CLASSIFICATION	URBAN MINOR ARTERIAL




LENGTH OF PROJECT = 488.00 FEET = 0.092 MILES


<div style="text-align: center;"> </div> <p style="text-align: center; font-size: small;">RESPONSIBLE FOR HIGHWAY DESIGN</p> <div style="text-align: center;"> <p>Tighe & Bond Engineers Environmental Specialists</p> <p style="font-size: x-small;">300 TRADE CENTER, SUITE 5580 WOBURN, MA 01801-7433 PHONE: 781-933-4800 FAX: 781-933-4801</p> </div>	<div style="text-align: center;"> </div> <p style="text-align: center; font-size: small;">RESPONSIBLE FOR BRIDGE DESIGN</p> <div style="text-align: center;"> <p>HOYLE TANNER</p> <p style="font-size: x-small;">100 INTERNATIONAL DRIVE, SUITE 360 PORTSMOUTH, NH 03801 PHONE: 603-431-2520 FAX: 603-431-8067</p> </div>
--	--

AYER WEST MAIN STREET			
STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		3	44
T&B PROJECT FILE NO.		17-023.01	

TYPICAL SECTIONS




**TYPICAL SECTION
WEST MAIN STREET
STA 5+12 TO STA 5+98**
SCALE: 1" = 4'




**TYPICAL SECTION
WEST MAIN STREET
STA 2+05 TO STA 2+69
STA 2+99 TO STA 4+03**
SCALE: 1" = 4'

NOTE:
FOR TYPICAL SECTION OF PROP. BRIDGE NO. A-19-014 (C1R),
SEE BRIDGE PLANS



**TYPICAL SECTION
WEST MAIN STREET
STA 1+30 TO STA 2+05
STA 4+03 TO STA 4+92
STA 4+92 TO STA 5+12 (SEE NOTE LEFT)**
SCALE: 1" = 4'

NOTE:
FOR STATION RANGE 4+92 TO 5+12, CROSS SECTION CONTINUES WITH AN 11'-0" TRAVEL LANE AND 5'-0" BIKE LANE IN THE WESTBOUND DIRECTION.
IN THE EASTBOUND DIRECTION AN 11'-0" TRAVEL LANE AND 5'-0" BICYCLE LANE CONTINUES, WHILE MAINTAINING THE SIDEWALK CROSS SECTION.



**TYPICAL SECTION
WEST MAIN STREET
STA 1+10 TO STA 1+30**
SCALE: 1" = 4'

PAVEMENT NOTES:

PROPOSED PAVEMENT MILLING AND OVERLAY:
1 3/4" SUPERPAVE SURFACE COURSE - 12.5 (SSC - 12.5) OVER
1 3/4" PAVEMENT FINE MILLING

PROPOSED FULL DEPTH RECONSTRUCTION:
1 3/4" SUPERPAVE SURFACE COURSE - 12.5 (SSC-12.5) OVER
2 1/2" SUPERPAVE INTERMEDIATE COURSE - 19.0 (SIC-19.0) OVER
4 1/2" SUPERPAVE BASE COURSE - 37.5 (SBC-37.5) OVER
4" DENSE GRADED CRUSHED STONE OVER
8" GRAVEL BORROW TYPE b

PROPOSED CEMENT CONCRETE WALK / SIDEWALK / PEDESTRIAN CURB RAMP:
4" CEMENT CONCRETE
AIR ENTRAINED 4000 PSI, 3/4" 610 OVER
8" GRAVEL BORROW TYPE b

PROPOSED CEMENT CONCRETE SIDEWALK AT DRIVEWAY:
6" CEMENT CONCRETE
AIR ENTRAINED 4000 PSI, 3/4" 610 OVER
8" GRAVEL BORROW TYPE b

PROPOSED HMA WALK:
1 1/4" SUPERPAVE SURFACE COURSE - 9.5 (SSC-9.5) OVER
1 3/4" SUPERPAVE INTERMEDIATE COURSE - 12.5 (SIC-12.5) OVER
8" GRAVEL BORROW TYPE b

PROPOSED HMA DRIVEWAYS:
1 1/2" SUPERPAVE SURFACE COURSE - 9.5 (SSC-9.5) OVER
2 1/2" SUPERPAVE INTERMEDIATE COURSE - 12.5 (SIC-12.5) OVER
8" GRAVEL BORROW TYPE b

PROPOSED LOAM FOR LAWNS & ROADSIDES, GRASS, AND SLOPES (FOR SLOPES FLATTER THAN 3:1):
4" LOAM AND SEED

PROPOSED LOAM FOR LAWNS & ROADSIDES, GRASS, AND SLOPES (3:1 SLOPE OR STEEPER):
MATTING FOR EROSION CONTROL (ITEM 767.9) OVER
4" LOAM AND SEED


PROPOSED TEMPORARY TRENCH PATCH (WITHIN ROADWAY LIMITS PAID FOR UNDER ITEM 472.):
3" HOT MIX ASPHALT OVER
12" GRAVEL BORROW TYPE b OVER
SUITABLE BACK FILL MATERIAL (GRAVEL COMPACTED IN MAX. OF 8" LIFTS)

PROPOSED PERMANENT TRENCH PATCH (WITHIN ROADWAY LIMITS PAID FOR UNDER ITEM 451.):
1 3/4" SUPERPAVE SURFACE COURSE - 12.5 (SSC-12.5) OVER
2 1/4" SUPERPAVE INTERMEDIATE COURSE - 19.0 (SIC-19.0) OVER
4 1/2" SUPERPAVE BASE COURSE - 37.5 (SBC-37.5) OVER
12" GRAVEL BORROW OVER
SUITABLE BACK FILL MATERIAL OR
CONTROLLED DENSITY FILL TYPE 1E OR 2E EXCAVATABLE (CONDUIT ONLY)

GENERAL NOTES:

- ALL GRAVEL BORROW SHALL BE TYPE b, UNLESS OTHERWISE SPECIFIED.
- PREPARATION OF UNDERLYING SURFACE, ASPHALT EMULSION FOR TACK COAT, HMA FOR PATCHING, AND HMA JOINT SEALANT SHALL BE IN ACCORDANCE WITH SECTION 450.
- NEW GRAVEL SUBBASE SHALL ONLY BE USED WHEN EXISTING SUBBASE IS DETERMINED TO BE UNSUITABLE PER THE REQUIREMENTS OF M2.01.7 AND M1.03.0 AND AS DIRECTED BY THE ENGINEER.
- SEE BRIDGE PLANS FOR ADDITIONAL INFORMATION & BRIDGE TYPICAL SECTION.

* - TOLERANCE FOR CONSTRUCTION ±0.5%



TRANSITION TO BRIDGE RAIL (ITEM 628.24)
 STA 2+33.92 LT - STA 2+67.67 LT
 STA 2+33.92 RT - STA 2+67.67 RT
 STA 3+00.33 LT - STA 3+34.08 LT
 STA 3+00.33 RT - STA 3+34.08 RT

GUARDRAIL, TL-3 (SINGLE FACED) (ITEM 620.13)
 STA 2+15.17 LT - STA 2+33.92 LT
 STA 3+34.08 LT - STA 3+77.93 LT

HIGHWAY GUARD DETAILS

GUARDRAIL TANGENT END TREATMENT, TL-2 (ITEM 627.82)
 STA 2+08.92 RT - STA 2+33.92 RT
 STA 3+77.83 LT - STA 4+02.83 LT

TRAILING ANCHORAGE (ITEM 627.1)
 STA 2+05.79 LT - STA 2+15.17 LT
 STA 3+34.08 RT - STA 3+43.46 RT

TRAFFIC SIGNAL CONDUIT
 NONE



DRAINAGE DETAILS
 SEE SHEET 9

WATER SUPPLY ALTERATIONS
 SEE SHEET 9

AYER WEST MAIN STREET			
STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		4	44
T&B PROJECT FILE NO.		17-023.01	
CONSTRUCTION PLAN			


NOTES:

1) STONE FOR PIPE ENDS OUTLETS SHALL BE CONSTRUCTED APPLICABLE WITH MASSDOT STANDARD DETAIL E 206.7.0 & AT A SLOPE OF 2H:1V (ITEM 258.).




AYER WEST MAIN STREET			
STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		5	44
T&B PROJECT FILE NO. 17-023.01			

CONSTRUCTION DETAILS
SHEET 1 OF 2




SECTION - FENCE PROTECTION OF ROOT ZONE




PLAN VIEW - FENCE PROTECTION OF ROOT ZONE


TREE PROTECTION DETAIL
N.T.S.



SECTION - TRUNK ARMORING & PRUNING




SEDIMENT CONTROL BARRIER ON PAVED SURFACES
N.T.S.




MATTING FOR EROSION CONTROL DETAIL
N.T.S.

SEDIMENT CONTROL BARRIER




12 INCH STRAW WATTLE

TO BE USED ONLY ON FLAT SURFACES WITH LOW FLOW




SECTION

SEDIMENT CONTROL BARRIER
N.T.S.




PLAN VIEW

PLACE BARRIER ALONG CONTOURS AND PERPENDICULAR TO FLOW.
ADJUST LOCATION AS REQUIRED FOR OPTIMUM EFFECTIVENESS. DO NOT INSTALL IN WATERWAYS.
PLACE STAKES AS NEEDED TO SECURE BARRIER IN PLACE.





PLAN VIEW




SECTION

SEDIMENT CONTROL BARRIER (SLOPES 2:1 OR STEEPER)
N.T.S.




SILT SACK DETAIL (ITEM 697.1)
N.T.S.

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		6	44
T&B PROJECT FILE NO.		17-023.01	




DRIVEWAY NO.	DRIVEWAY REFERENCE POINT ALONG CENTERLINE		WIDTH OF SIDEWALK (W)	PATH OF TRAVEL (4' MIN.)	DRIVEWAY OPENING WIDTH	ROADWAY GUTTER SLOPE (%)	TRANSITION LENGTH	
	STATION	OFFSET					HIGH SIDE	LOW SIDE
DW 1	1+94.52	16.00' LT	6.50'	6.50'	16.0'	-2.8	11.00'	6.50'
DW 2	3+92.47	16.00' RT	6.50'	6.50'	16.0'	1.9	9.00'	6.50'


DRIVEWAY SCHEDULE
N.T.S.




PERMANENT TRENCH PATCH FOR DRAINAGE PIPE (WITHIN PAVEMENT MILLING AREAS) DETAIL
N.T.S.



PRECAST FLAT TOP DRAIN MANHOLE
N.T.S.




JOINT DETAILS AT PAVING LIMITS
N.T.S.





TEMPORARY TRENCH PATCH FOR DRAINAGE PIPE (WITHIN FULL DEPTH RECONSTRUCTION AREAS) DETAIL
N.T.S.

NOTE:
FOR DESCRIPTION, MATERIALS AND CONSTRUCTION METHODS, SEE MASSDOT STANDARD SPECIFICATIONS





STONE OUTLET PROTECTION AT OUTLETS #1 & #2 (ITEM 258. - STONE FOR PIPE ENDS)
N.T.S.



PED. CURB RAMP NO.	RAMP REFERENCE POINT			WIDTH OF SIDEWALK (W)	WIDTH OF RAMP (MIN. 5')	TRANSITION LENGTH AND SLOPE (%)		
	BASELINE	STATION	OFFSET			HIGH SIDE	LOW SIDE	GUTTER SLOPE
						L	L	%
1	W MAIN	5+26.61	23.72' RT	6.50'	5.00'	-	6.50'	1.8%

PCR SCHEDULE #1
N.T.S.



PED. CURB RAMP NO.	RAMP REFERENCE POINT			RAMP TRANSITION LENGTH (W1)	WIDTH OF SIDEWALK (W)	WIDTH OF RAMP OPENING (MIN. 3')	GUTTER SLOPE %
	BASELINE	STATION	OFFSET				


PCR SCHEDULE #2
N.T.S.

**AYER
WEST MAIN STREET**

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		7	44
T&B PROJECT FILE NO. 17-023.01			

PROFILE - WEST MAIN STREET

WEST MAIN STREET






W MAIN STREET CONSTRUCTION BASELINE DATA								
NUMBER	STARTING STATION	NORTHING	EASTING	CURVE DATA	LINE DATA	ENDING STATION	NORTHING	EASTING
L1	0+00.00	3028984.2400	629838.4225			4+77.53	3029189.6229	630269.5335
C1	4+77.53	3029189.6229	630269.5335	R = 324.50' Δ = 18°32'10" L = 104.98' T = 52.95'		5+82.52	3029218.7934	630369.9051
L2	5+82.52	3029218.7934	630369.9051			6+25.00	3029223.9245	630412.0782

CURVE TABLE				
CURVE #	DELTA	RADIUS	LENGTH	TANGENT
C2	0°41'06"	340.50'	4.07'	2.04'
C3	2°12'48"	308.50'	11.92'	5.96'
C4	19°43'28"	80.00'	27.54'	13.91'
C17	84°21'14"	15.00'	22.08'	13.59'
C18	86°14'46"	5.00'	7.53'	4.68'

- NOTE:
- 1) ALL OFFSETS ARE FROM THE WEST MAIN STREET BASELINE
 - 2) ALL ELEVATIONS ARE TO THE CENTER OF THE DRAINAGE STRUCTURE
 - 3) 2'-0" LEVEL SHELF TO BE INSTALLED BEHIND ALL GUARDRAIL AND SLOPED AT 2H:1V TO DAYLIGHT LINE

AYER WEST MAIN STREET			
STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		8	44
T&B PROJECT FILE NO. 17-023.01			
CURB TIE AND GRADING PLAN			




REFER TO CROSS-SECTIONS OR BRIDGE SKETCH PLANS FOR ADDITIONAL INFORMATION (TYP.)

BOUND LOCATIONS - WEST MAIN STREET			
STATION	OFFSET	NORTHING	EASTING
STA. 1+85.04	24.23' RT	3029041.9494	630015.9129
STA. 2+17.05	25.01' RT	3029055.0222	630045.1259

SURVEY TRAVERSE DATA				
POINT	ELEVATION	NORTHING	EASTING	DESCRIPTION
TRAV. #1	219.454'	3029136.4880	630111.9010	MAGNAIL
TRAV. #2	223.616'	3029236.5390	630350.5840	MAGNAIL
TRAV. #3	218.762'	3028948.2330	630112.1410	MAGNAIL
TRAV. #4	210.540'	3029068.2790	630139.0950	SPIKE
TBM #1	228.51'	3029008.4520	629833.9290	BONNET BOLT
TBM #2	224.35'	3029176.6216	630295.6550	BONNET BOLT

BENCHMARK LOCATIONS - WEST MAIN STREET				
STATION	OFFSET	NORTHING	EASTING	DESCRIPTION
STA. 0+06.36	23.79' LT	3029008.4520	629833.9290	BONNET BOLT
STA. 4+96.87	22.44' RT	3029176.6216	630295.6550	BONNET BOLT





DRAINAGE STRUCTURE DATA							
STRUCT #	TYPE	BASELINE	STATION/OFFSET (FT)	RIM ELEV.	INV. (IN)	INV. OUT (TO STRUCT #)	REMARKS
1	CBCI	W. MAIN STREET	1+25.0 16.05 RT	222.91	-	219.16 (DMH #3)	
2	CBCI	W. MAIN STREET	1+25.0 16.34 LT	222.90	-	220.30 (DMH #3)	
3	DMH	W. MAIN STREET	1+25.0 5.00 LT	223.13	219.06 (CBCI #1) 220.25 (CBCI #2)	218.56 (DMH #4)	
4	DMH	W. MAIN STREET	2+54.6 3.89 LT	220.04	216.65 (DMH#3)	214.90 (OUTLET 1)	SEE PLAN NOTE FOR ELEV @ OUTLET
5	CBCI	W. MAIN STREET	3+18.5 15.00 RT	219.42	-	216.42 (DMH #7)	
6	CBCI	W. MAIN STREET	3+18.5 15.00 LT	219.42	-	213.67 (DMH #7)	
7	DMH	W. MAIN STREET	3+14.2 6.89 LT	219.59	216.34 (CBCI #5) 213.56 (CBCI #6) 212.93 (DMH #10)	212.93 (OUTLET 2)	SEE PLAN NOTE FOR ELEV @ OUTLET
8	CBCI	W. MAIN STREET	4+35.0 15.00 LT	220.71	-	215.71 (DMH #10)	
9	CBCI	W. MAIN STREET	4+35.0 15.00 RT	220.71	-	213.71 (DMH #10)	
10	DMH	W. MAIN STREET	4+33.8 5.53 LT	220.88	215.63 (CBCI #8) 213.62 (CBCI #9) 213.75 (DMH #12)	213.52 (DMH #7)	
11	CBCI	W. MAIN STREET	5+23.3 20.81 RT	222.30	-	215.66 (DMH #12)	
12	DMH	W. MAIN STREET	5+35.9 12.97 RT	222.65	215.60 (CBCI #11) 216.30 (CBCI #13)	214.75 (DMH #10)	
13	CB	W. MAIN STREET	5+66.2 24.82 RT	222.95	-	216.45 (DMH #12)	

- NOTES:**
- 1) ALL EXISTING GAS GATES AND VAULTS WITHIN THE LIMIT OF WORK SHALL BE ADJUSTED BY OTHERS.
 - 2) WORK SHALL BE COORDINATED WITH NATIONAL GRID REGARDING THE ONGOING PROJECT TO REPLACE THE GAS MAIN AND REGULATOR VAULTS/ GATES/ ETC. WITHIN THE PROJECT LIMIT, AS WELL AS THE TEMPORARY RELOCATION OF UTILITY POLES FOR THE REPLACEMENT OF THE BRIDGE.
 - 3) LOCATIONS OF RELOCATED UTILITY POLES HAS BEEN APPROXIMATED AND FINAL LOCATION TO BE COORDINATED IN THE FIELD WITH ALL OVERHEAD UTILITY COMPANIES.
 - 4) EXACT RELOCATION OF UNDERGROUND DUCT BANK IS TO BE DETERMINED BY VERIZON.
 - 5) FOR RELOCATED UTILITY POLE SUGGESTED COORDINATE NORTHINGS & EASTINGS. SEE BRIDGE PLANS.
 - 6) REFER TO CONTRACT BOOK AND SPECIAL PROVISIONS FOR ADDITIONAL INFORMATION REGARDING UTILITY RELOCATIONS AND COORDINATION REQUIRED AS PART OF CONTRACT.

SEWER STRUCTURE DATA							
STRUCT #	TYPE	BASELINE	STATION/OFFSET (FT)	RIM ELEV.	INV. (IN)	INV. OUT (TO STRUCT #)	REMARKS
1	SMH	W. MAIN STREET	2+50.4 3.5 RT	220.11	215.12 (EXIST)	215.12 (SMH #2)	HOLD EXIST PIPE IN INV.
2	SMH	W. MAIN STREET	3+05.9 3.3 LT	219.67	214.89 (SMH #1)	214.89 (EXIST)	HOLD EXIST PIPE OUT INV.

AYER WEST MAIN STREET			
STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		9	44
T&B PROJECT FILE NO.		17-023.01	
DRAINAGE AND UTILITY PLAN			



TRAFFIC SIGN SUMMARY

SIGN ID NUMBER	SIZE		MESSAGE	DIMENSIONS (IN)			NUMBER REQUIRED	COLOR			POST SIZE AND NUMBER REQUIRED	UNIT AREA (S.F.)	TOTAL AREA (S.F.)
	WIDTH (IN)	HEIGHT (IN)		LETTER HEIGHT	VERTICAL SPACING	ARROW RTE. MKR.		BACK-GROUND	LEGEND	BORDER			
R2-1 (25)	24	30		1	1	1	1	WHITE	BLACK	BLACK	P5 (1)	5.00	5.00
R2-1 (35)	24	30					1	WHITE	BLACK	BLACK	P5 (1)	5.00	5.00
R3-17	24	18					4	BLACK / WHITE	WHITE / BLACK	WHITE / BLACK	P5 (4)	3.00	12.00
R3-17aP	24	12					2	WHITE	BLACK	BLACK	MOUNT WITH R3-17	2.00	4.00
R3-17bP	24	12					1	WHITE	BLACK	BLACK	MOUNT WITH R3-17	2.00	2.00
R1-1	30	30					1	RED	WHITE	WHITE	P5 (1)	6.25	6.25

TOTAL AREA OF SIGNS (SQUARE FEET) 34.25

SIGN SUMMARY NOTES:

- HIGH INTENSITY ENCAPSULATED LENS REFLECTIVE SHEETING SHALL BE USED FOR ALL SIGNS. THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" 2009 EDITION, THE 1996 MASSDOT CONSTRUCTION AND TRAFFIC STANDARD DETAILS, AND ALL ADMENDMENTS WILL GOVERN.
- SEE MUTCD 2009 EDITION, 2004 STD. HWY. SIGNS AND SECTION M9.30.0 TYPE III OF THE LATEST MASSDOT STANDARD SPECIFICATION FOR TEXT DIMENSIONS AND COLOR.

GENERAL NOTES:




- ANY EXISTING PAVEMENT MARKINGS THAT CONFLICT WITH THE PROPOSED PAVEMENT MARKINGS SHALL BE REMOVED.
- ALL CROSSWALKS ARE 9 FEET WIDE CENTER LINE STRIPE TO CENTER LINE STRIPE UNLESS OTHERWISE NOTED.
- ALL SIGNS DEEMED SUITABLE FOR REUSE SHALL BE DETERMINED BY THE RESIDENT ENGINEER AND SHALL BE PAID UNDER THE RESPECTIVE ITEM NUMBERS.
- ALL EXISTING SIGNS TO BE REMOVED AND RESET ARE TO BE R&R IN PLACE, UNLESS OTHERWISE NOTED.
- ALL PROPOSED PAVEMENT MARKINGS ARE TO BE THERMOPLASTIC LINES.
- ALL SIGNS SHALL HAVE A 2' MINIMUM CLEARANCE BETWEEN EDGE OF SIGN AND FACE OF CURB.
- ALL SIGNS SHALL HAVE A 7' MINIMUM VERTICAL CLEARANCE BETWEEN BOTTOM OF SIGN AND THE TOP OF SIDEWALK.
- STOP LINES SHALL BE OFFSET FROM THE ADJACENT CROSSWALK 5 FEET ON-CENTER UNLESS OTHERWISE NOTED.

SIGN LEGEND

- R1-1 EXISTING SIGN
- R1-1 PROPOSED SIGN

AYER WEST MAIN STREET			
STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		10	44
T&B PROJECT FILE NO. 17-023.01			

SIGN AND PAVEMENT MARKING PLAN



NOTES:

- ADA COMPLIANT ACCESS MUST BE MAINTAINED AT ALL TIMES, INCLUDING PEDESTRIAN GUIDANCE SYSTEMS AT WORK ZONES. ANY PEDESTRIAN DETOURS OR BYPASSES SHALL INCLUDE ADA COMPLIANT ROUTE WITH PROPER BARRICADES, RAILINGS, RAMPS SIGNAGE ETC.
- THE CONTRACTOR SHALL NOT PLACE ANY TEMPORARY DRUMS, CONES, POLICE, CHANGEABLE MESSAGE SIGNS, ARROW BOARDS, BARRICADES OR ANY HIGH LEVEL WARNING DEVICES ON THE RAILROAD TRACKS WITHOUT PROPER NOTIFICATIONS/ PERMISSIONS.
- ALL TEMPORARY TRAFFIC CONTROL WORK SHALL CONFORM TO THE LATEST EDITION OF THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" (MUTCD) AND ALL REVISIONS, UNLESS SUPERCEDED BY THESE PLANS.
- ALL SIGN LEGENDS, BORDERS, AND MOUNTING SHALL BE IN ACCORDANCE WITH THE MUTCD.
- TEMPORARY CONSTRUCTION SIGNING AND ALL OTHER TRAFFIC CONTROL DEVICES SHALL BE IN PLACE PRIOR TO THE START OF ANY WORK.
- TEMPORARY CONSTRUCTION SIGNING, BARRICADES, AND ALL OTHER NECESSARY WORK ZONE TRAFFIC CONTROL DEVICES SHALL BE REMOVED FROM THE ROADWAY OR COVERED WHEN THEY ARE NOT REQUIRED FOR CONTROL OF TRAFFIC.
- SIGNS AND SIGN SUPPORTS LOCATED ON OR NEAR THE TRAVELED WAY, CHANNELIZING DEVICES, BARRIERS, AND CRASH ATTENUATORS MUST PASS THE CRITERIA SET FORTH IN NCHRP REPORT 350, "RECOMMENDED PROCEDURES FOR THE SAFETY PERFORMANCE EVALUATION OF HIGHWAY FEATURES" AND/OR "MANUAL FOR ASSESSING SAFETY HARDWARE" (MASH).
- CONTRACTORS SHALL NOTIFY EACH ABUTTER AT LEAST 48 HOURS IN ADVANCE OF THE START OF ANY WORK THAT WILL REQUIRE THE TEMPORARY CLOSURE OF ACCESS, SUCH AS CONDUIT INSTALLATION, EXISTING PAVEMENT EXCAVATION, TEMPORARY DRIVEWAY PAVEMENT PLACEMENT, AND SIMILAR OPERATIONS.
- THE FIRST TEN PLASTIC DRUMS OF A TAPER SHALL BE MOUNTED WITH SEQUENTIAL FLASHING LIGHTS.
- THE ADVISORY SPEED LIMIT, IF REQUIRED, SHALL BE DETERMINED BY THE ENGINEER.
- DISTANCES ARE A GUIDE AND MAY BE ADJUSTED IN THE FIELD BY THE ENGINEER, AND APPROVED BY THE TOWN.
- MAXIMUM SPACING OF TRAFFIC DEVICES IN A TAPER (DRUMS OR CONES) IS EQUAL IN FEET TO THE SPEED LIMIT IN MPH.
- MINIMUM LANE WIDTH IS TO BE 11 FEET UNLESS OTHERWISE SHOWN. MINIMUM LANE WIDTH TO BE MEASURED FROM THE EDGE OF DRUMS OR MEDIAN BARRIER.
- ALL SIGNS SHALL BE MOUNTED ON THEIR OWN STANDARD SIGN SUPPORTS.
- THE CONTRACTOR SHALL NOTE THE WORK SCHEDULE DENOTED IN THE SPECIAL PROVISION. WORK REQUIRING LANE CLOSURES THAT WILL IMPACT TRAFFIC IN THE JUDGEMENT OF THE ENGINEER SHALL BE ALLOWED FROM 9:00AM TO 3:00PM MONDAY TO FRIDAY. WORK NOT REQUIRING LANE CLOSURES SHALL BE ALLOWED FROM 7:00AM TO 4:00PM. WORK SHALL BE ALLOWED FROM 9:00PM TO 5:00AM ONLY WITH THE APPROVAL OF THE TOWN OF AYER.

LEGEND:

- REFLECTORIZED PLASTIC DRUM OR 36" CONE
- ▨ WORK ZONE
- 🚚 WORK VEHICLE
- P/F POLICE/FLAGGER DETAIL
- ➔ DIRECTION OF TRAFFIC
- 🚚 TRUCK MOUNTED ATTENUATOR
- ▨ TYPE III BARRICADE
- 🌐 IMPACT ATTENUATOR
- ➔ TRAFFIC OR PEDESTRIAN SIGNAL
- ▨ CHANGEABLE MESSAGE SIGN
- ▨ MEDIAN BARRIER
- SIGN
- ➔ ARROW BOARD
- ▨ MEDIAN BARRIER WITH WARNING LIGHTS

THE IDEAL CAPACITY OF A MAJOR HIGHWAY IS GENERALLY CONSIDERED TO BE 1900 PASSENGER CARS PER HOUR PER LANE (POPHPL). IN WORK ZONES ON A MULTI-LANE DIVIDED HIGHWAY, THE FOLLOWING VOLUME GUIDELINES HAVE BEEN SUGGESTED:

MEASURED AVERAGE WORK ZONE CAPACITIES

NUMBER OF LANES NORMAL (EXISTING)	NUMBER OF LANES OPEN (TO TRAFFIC)	NUMBER OF STUDIES	AVERAGE CAPACITY	
			VPH	VPHPL
3	1	7	1,170	1,170
2	1	8	1,340	1,340
5	2	8	2,740	1,370
4	2	4	2,960	1,480
3	2	9	2,980	1,490
4	3	4	4,560	1,520

Source: Dudek, C., *Notes on Work Zone Capacity and Level of Service*. Texas Transportation Institute, Texas A&M University, College Station, Texas (1984)

BY OBTAINING HOURLY TRAFFIC COUNTS FOR A PARTICULAR ROADWAY (WITH A MINIMUM OF A 48-HOUR AUTOMATIC TRAFFIC RECORDER (ATR) COUNT), THIS WILL HELP TO DETERMINE AT WHAT TIMES OF THE DAY OR NIGHT A CERTAIN NUMBER OF LANES MAY BE CLOSED.

NOTES FOR INSTALLATION:

- ALL TRAFFIC CONTROL SCENARIOS SHALL CONFORM WITH THE MASSDOT STANDARD DETAILS AND DRAWINGS FOR THE DEVELOPMENT OF TEMPORARY TRAFFIC CONTROL PLANS.
- ALL CONSTRUCTION SIGNING, DRUMS, BARRICADES AND OTHER DEVICES SHALL CONFORM WITH THE LATEST EDITION, THE 2009 MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES (M.U.T.C.D.), WITH ALL REVISIONS AND AMENDMENTS.
- ALL DRUMS SHALL BE APPROXIMATELY PLACED AND MOVED AS NECESSARY TO MAINTAIN ADEQUATE ABUTTER ACCESS AT ALL TIMES.
- CONTRACTOR SHALL NOTIFY EACH ABUTTER AT LEAST 48 HOURS IN ADVANCE OF THE START OF ANY WORK THAT WILL REQUIRE THE TEMPORARY CLOSURE OF ACCESS, SUCH AS CONDUIT INSTALLATION EXISTING PAVEMENT EXCAVATION, TEMPORARY DRIVEWAY PAVEMENT PLACEMENT AND SIMILAR OPERATIONS.
- A MINIMUM OF ONE LANE OF TRAFFIC IN EACH DIRECTION ON TWO WAY STREETS SHALL BE MAINTAINED AT ALL TIMES, EXCEPT DURING WORKING HOURS, TRAFFIC MAY BE REDUCED TO ONE LANE UNDER POLICE OR FLAGGER CONTROL FOR SHORT TIME PERIODS WHEN REQUIRED FOR THE WORK, AS SHOWN.
- GRADE SEPARATIONS IN EXCESS OF 2" DURING NON-WORKING HOURS WILL REQUIRE DELINEATION BY USE OF DRUMS.
- EXCAVATION EDGES IN EXCESS OF 4" DEEP SHALL BE PROTECTED DURING NON-WORKING HOURS BY BACKFILLING WITH A WEDGE OF GRAVEL OR SOIL TO COMPACTED 1:4 SLOPE.
- 11' MINIMUM LANE WIDTHS SHALL BE MAINTAINED.
- NON-ESSENTIAL TRAFFIC CONTROL DEVICES SHALL BE COVERED OR REMOVED DURING NON-WORKING HOURS.
- ADVISORY SPEED PLATES (W13-1) SHALL BE USED IF APPROPRIATE AND AS DIRECTED BY THE ENGINEER.
- CONSTRUCTION SIGNS ASSOCIATED WITH THE DAILY LANE CLOSURES AND SHOULDER WORK AREAS WILL NOT BE MEASURED FOR PAYMENT MORE THAN ONCE REGARDLESS OF THE NUMBER OF TIMES THE SIGNS ARE REUSED.
- TEMPORARY CONSTRUCTION SIGNING AND ALL OTHER TRAFFIC CONTROL DEVICES SHALL BE IN PLACE PRIOR TO THE START OF ANY WORK.

SUGGESTED WORK ZONE WARNING SIGN SPACING

ROAD TYPE	DISTANCE BETWEEN SIGNS **		
	A	B	C
LOCAL OR LOW VOLUME ROADWAYS*	350	350	350
MOST OTHER ROADWAYS*	500	500	500
FREEWAYS AND EXPRESSWAYS*	1,000	1,500	2,640

* ROAD TYPE TO BE DETERMINED BY MASSDOT OFFICE OF TRANSPORTATION PLANNING.

** DISTANCES ARE SHOWN IN FEET. THE COLUMN HEADINGS A, B, AND C ARE THE DIMENSIONS SHOWN IN THE DETAIL/ TYPICAL SETUP FIGURES. THE A DIMENSION IS THE DISTANCE FROM THE TRANSITION OR POINT OF RESTRICTION TO THE FIRST SIGN. THE B DIMENSION IS THE DISTANCE BETWEEN THE FIRST AND SECOND SIGNS. THE C DIMENSION IS THE DISTANCE BETWEEN THE SECOND AND THIRD SIGNS. (THE "THIRD" SIGN IS THE FIRST ONE TYPICALLY ENCOUNTERED BY A DRIVER APPROACHING A TEMPORARY TRAFFIC CONTROL (TTC) ZONE.)

THE "THIRD" SIGN ABOVE IS TYPICALLY REFERRED TO AS AN "ADVANCE WARNING" SIGN ON THE TTOP SETUPS. THESE ADVANCE WARNING SIGNS ARE LOCATED PRIOR TO THE PROJECT LIMITS ON ALL APPROACHES (I.E. THE W20-1 SERIES (ROAD WORK XX FT) SIGNS), AND USUALLY REMAIN FOR THE DURATION OF THE PROJECT. ADDITIONAL SIGNS (I.E. "RIGHT LANE CLOSED 1 MILE" AND "LEFT LANE CLOSED 1 MILE") HAVE BEEN SHOWN IN SOME FIGURES AS EXAMPLES OF REINFORCEMENT SIGN PLACEMENT BUT ARE USED IN RARE OCCASIONS.

THE FIRST AND SECOND WARNING SIGNS ABOVE ARE REFERRED TO AS THE OPERATIONAL (DAY-TO-DAY) WORK ZONE SIGNS AND MAY BE MOVED DEPENDING ON WHERE THE SPECIFIC ROADWAY WORK FOR THAT DAY IS LOCATED.

MA-R2-10a SIGNS SHALL BE PLACED BETWEEN THE SECOND AND THIRD SIGNS AS DESCRIBED ABOVE.

MA-R2-10a, MA-R2-10e, AND W20-1 SERIES SIGNS ARE TO BE INCLUDED ON ALL DETAILS/TYPICAL SETUPS.

Based on: Table 6C-1 MUTCD LATEST EDITION

STOPPING SIGHT DISTANCE AS A FUNCTION OF SPEED


SPEED* (mph)	DISTANCE (ft)
20	115
25	155
30	200
35	250
40	305
45	360
50	425
55	495
60	570
65	645
70	730
75	820

*POSTED SPEED, OFF-PEAK 85TH-PERCENTILE SPEED PRIOR TO WORK STARTING, OR THE ANTICIPATED OPERATING SPEED

THESE VALUES MAY BE USED TO DETERMINE THE LENGTH OF LONGITUDINAL BUFFER SPACES.


THE DISTANCES IN THE ABOVE CHART REPRESENT THE MINIMAL VALUES FOR BUFFER SPACING.

Source: Table 6C-2 MUTCD LATEST EDITION



LONGITUDINAL DROP-OFF DETAIL

NOT TO SCALE



LATERAL DROP-OFF DETAIL

NOT TO SCALE

AYER WEST MAIN STREET			
STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		11	44
T&B PROJECT FILE NO.		17-023.01	

TEMPORARY TRAFFIC CONTROL PLANS
SHEET 1 OF 8

CONVENTIONAL ROADWAY— A STREET OR HIGHWAY OTHER THAN A LOW-VOLUME ROAD, EXPRESSWAY, OR FREEWAY.

EXPRESSWAY— A DIVIDED HIGHWAY WITH PARTIAL CONTROL OF ACCESS.

FREEWAY— A DIVIDED HIGHWAY WITH FULL CONTROL OF ACCESS.

LOW-VOLUME ROAD— A FACILITY LYING OUTSIDE OF BUILT-UP AREAS OF CITIES, TOWNS, AND COMMUNITIES, AND IT SHALL HAVE A TRAFFIC VOLUME OF LESS THAN 400 AADT. IT SHALL NOT BE A FREEWAY, EXPRESSWAY, INTERCHANGE RAMP, FREEWAY SERVICE ROAD OR A ROAD ON A DESIGNATED STATE HIGHWAY SYSTEM.

Source: MUTCD LATEST EDITION

TAPER LENGTH CRITERIA FOR TEMPORARY TRAFFIC CONTROL ZONES

TYPE OF TAPER	TAPER LENGTH (L)*
MERGING TAPER	AT LEAST L
SHIFTING TAPER	AT LEAST 0.5L
SHOULDER TAPER	AT LEAST 0.33L
ONE-LANE, TWO-WAY TRAFFIC TAPER	50 FT MIN. 100 FT MAX.
DOWNSTREAM TAPER	50 FT MIN. 100 FT MAX. PER LANE

Source: Table 6C-3 MUTCD LATEST EDITION

FORMULAS FOR DETERMINING TAPER LENGTHS


SPEED LIMIT (S)	TAPER LENGTH (L) FEET
40 MPH OR LESS	$L = \frac{WS^2}{60}$
45 MPH OR MORE	$L = WS$

WHERE: L = TAPER LENGTH IN FEET


W = WIDTH OF OFFSET IN FEET

S = POSTED SPEED LIMIT, OR OFF-PEAK 85TH-PERCENTILE SPEED PRIOR TO WORK STARTING, OR THE ANTICIPATED OPERATING SPEED IN MPH


Source: Table 6C-4 MUTCD LATEST EDITION




PEDESTRIAN DETOUR
NOT TO SCALE




**TWO LANE ROAD
ONE LANE ALTERNATING TRAFFIC
WITH TEMPORARY SIGNAL**
NOT TO SCALE




**TWO LANE ROAD
ONE LANE ALTERNATING TRAFFIC
WITH POLICE OR FLAGGER DETAIL**
NOT TO SCALE




**ONE LANE BI-DIRECTIONAL
TRAFFIC AT INTERSECTIONS**
NOT TO SCALE



**TYPICAL SIDE STREET ADVANCED
WARNING SIGN DETAIL**
NOT TO SCALE



TYPICAL SHOULDER CLOSURE
NOT TO SCALE




- WHEN EXISTING PEDESTRIAN FACILITIES ARE DISRUPTED, CLOSED, OR RELOCATED IN A TTC ZONE, TEMPORARY FACILITIES SHALL BE PROVIDED AND THEY SHALL BE DETECTABLE AND INCLUDE ACCESSIBILITY FEATURES CONSISTENT WITH THE FEATURES PRESENT IN THE EXISTING PEDESTRIAN FACILITY.
- A PEDESTRIAN CHANNELIZING DEVICE THAT IS DETECTABLE BY A PERSON WITH A VISUAL DISABILITY TRAVELING WITH THE AID OF A LONG CANE SHALL BE PLACED ACROSS THE FULL WIDTH OF THE CLOSED SIDEWALK.
- WHEN USED, TEMPORARY RAMPS SHALL COMPLY WITH AMERICANS WITH DISABILITIES ACT (SEE FIGURES PED-1 & PED-2).
- THE ALTERNATE PATHWAY SHOULD HAVE A SMOOTH CONTINUOUS HARD SURFACE FOR THE ENTIRE LENGTH OF THE TEMPORARY PEDESTRIAN FACILITY.
- THE PROTECTIVE REQUIREMENTS OF A TTC SITUATION HAVE PRIORITY IN DETERMINING THE NEED FOR TEMPORARY TRAFFIC BARRIERS AND THEIR USE IN THIS SITUATION SHOULD BE BASED ON ENGINEERING JUDGMENT.
- AUDIBLE INFORMATION DEVICES SHOULD BE CONSIDERED WHERE MIDBLOCK CLOSINGS AND CHANGED CROSSWALK AREAS CAUSE INADEQUATE COMMUNICATION TO BE PROVIDED TO PEDESTRIANS WHO HAVE VISUAL DISABILITIES.

AUDIBLE DEVICES


FOR LONG TERM SIDEWALK CLOSURES (AT A MINIMUM OVERNIGHT) A FORM OF SPEECH MESSAGING FOR PEDESTRIANS WITH VISUAL DISABILITIES SHALL BE PROVIDED. AUDIBLE INFORMATION DEVICES SUCH AS DETECTABLE BARRIERS OR BARRICADES AND OTHER PASSIVE PEDESTRIAN ACTIVATION (MOTION ACTIVATED) DEVICES SHOULD BE CONSIDERED FOR THESE CASES. THESE AUDIBLE DEVICES CAN BE MOUNTABLE OR STAND ALONE.

PEDESTRIAN CHANNELIZING DEVICE

NOT TO SCALE



TEMPORARY CURB RAMP-PERPENDICULAR TO CURB



TEMPORARY CURB RAMP-PARALLEL TO CURB

TEMPORARY CURB RAMP

NOT TO SCALE

NOTES:



1. CURB RAMPS SHALL BE 60 IN. MINIMUM WIDTH WITH A FIRM, STABLE AND NON-SLIP SURFACE.
2. PROTECTIVE EDGING WITH A 2 IN. MINIMUM HEIGHT SHALL BE INSTALLED WHEN THE CURB RAMP OR LANDING PLATFORM HAS A VERTICAL DROP OF 6 IN. OR GREATER OR HAS A SIDE APRON SLOP STEEPER THAN 1:3 (33%). PROTECTIVE EDGING SHOULD BE CONSIDERED WHEN THE CURB RAMPS OR LANDING PLATFORMS HAVE A VERTICAL DROP OF 3 IN. OR MORE.
3. DETECTABLE EDGING WITH 6 IN. MINIMUM HEIGHT AND CONTRASTING COLOR SHALL BE INSTALLED ON ALL CURB RAMP LANDINGS WHERE THE WALKWAY CHANGES DIRECTION (TURNS).
4. THE CURB RAMP WALKWAY AND LANDING AREA SURFACE SHALL BE OF A SOLID CONTINUOUS CONTRASTING COLOR ABUTTING UP TO THE EXISTING SIDEWALK.
5. CURB RAMPS AND LANDINGS SHOULD HAVE A 1:50 (2%) MAX CROSS-SLOPE.
6. CLEAR SPACE OF 48x48 IN. MINIMUM SHALL BE PROVIDED ABOVE AND BELOW THE CURB RAMP.
7. WATER FLOW IN THE GUTTER SYSTEM SHALL HAVE MINIMAL RESTRICTION.
8. LATERAL JOINTS OR GAPS BETWEEN SURFACES SHALL BE LESS THAN 0.5 IN. WIDTH.
9. CHANGES BETWEEN SURFACE HEIGHTS SHOULD NOT EXCEED 0.5 IN. LATERAL EDGES SHOULD BE VERTICAL UP TO 0.25 IN. HIGH, AND BEVELED AT 1:2 BETWEEN 0.25 IN. AND 0.5 IN. HEIGHT.
10. IF A TEMPORARY PEDESTRIAN RAMP LEADS TO A CROSSWALK, THEN A DETECTABLE WARNING PAD MUST BE ADHERED TO THE BASE OF THE RAMP. IF IT LEADS TO A PROTECTED PEDESTRIAN BYPASS THAT DOES NOT CONFLICT WITH VEHICULAR TRAFFIC, THEN A PAD THEN A PAD SHALL NOT BE INSTALLED ON THE RAMP.

**COMPENSATION FOR WORK ASSOCIATED WITH HOT MIX ASPHALT FOR TEMPORARY CURB RAMPS AS DETAILED HERE ARE PAID FOR UNDER ITEM 472 - TEMPORARY ASPHALT PATCHING AND AS DIRECTED BY THE ENGINEER.

**AYER
WEST MAIN STREET**

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		14	44
T&B PROJECT FILE NO.		17-023.01	

**ADVANCED SIGNING PLAN
SHEET 4 OF 8**




PORTABLE CHANGEABLE MESSAGE SIGN (PCMS) LEGEND:

*DURING PHASED CONSTRUCTION



*NOTE: PORTABLE CHANGEABLE MESSAGE SIGNS (PCMS) SHALL BE IN PLACE TWO WEEKS PRIOR TO THE START OF WORK (TYP.)



NOTES:

1. REMOVE EXISTING PAVEMENT MARKINGS FROM TRAVEL PATH WITHIN LIMITS OF PROPOSED TEMPORARY PAVEMENT MARKINGS BY APPROVED METHODS.
2. COVER ALL EXISTING SIGNS THAT CONFLICT WITH CONSTRUCTION SIGNING.
3. SPEED LIMIT IN WORK ZONE TO BE DETERMINED BY THE TOWN.
4. SHIRLEY STREET BRIDGE OVER NONACOICUS BROOK IS CLOSED TO VEHICULAR TRAFFIC.
5. SEE STAGED CONSTRUCTION DETAILS/NOTES ON BRIDGE PLANS.
6. TEMPORARY ADA COMPLAINT PEDESTRIAN CURB RAMPS SHALL BE CONSTRUCTED AT EACH CROSSWALK LOCATION.
7. TEMPORARY PAVEMENT MARKINGS OUTSIDE THE LIMITS OF PAVEMENT RECONSTRUCTION SHALL BE TAPE.
8. VEHICLES SHALL NOT BE PERMITTED TO TAKE A LEFT FROM UNION STREET ON TO WEST MAIN STREET.
9. BARRIERS WITH WARNING LIGHTS SHALL BE PLACED AROUND GAS VAULT AREA AS NEEDED TO ENSURE NO VEHICLES TRAVEL OVER AREA.
10. DRIVEWAY ACCESS SHALL BE PROVIDED TO HOMEOWNERS THROUGH ALL PHASES, AND CORDONED OFF BY BARRELS AND TEMPORARY CHAIN LINK FENCING SET UP BY CONTRACTOR.

11. TRAILER MOUNTED PORTABLE TRAFFIC SIGNAL SHALL BE INSTALLED BY A MASSDOT PREQUALIFIED & APPROVED VENDOR.
12. CONTRACTOR TO CONFIRM BY TEST PIT ANY TIME A PROPOSED UTILITY CROSSES ANOTHER UTILITY.
13. CONTRACTOR TO DIRECTLY COORDINATE WITH NATIONAL GRID REGARDING WORK WITHIN THE VICINITY OF THE GAS REGULATOR VAULT AREA TO ENSURE ALL APPROPRIATE PROTECTIONS ARE IN PLACE ENSURING NO VEHICULAR ACCESS OCCURS WITHIN THE VAULT AREA.
14. BARRIER SHALL BE PLACED IN ACCORDANCE WITH ALL APPLICABLE TAPER CRITERIA BASED ON ASSUMED DESIGN SPEED & AASHTO REQUIREMENTS.
15. FOR RELOCATED UTILITY POLE SUGGESTED COORDINATE NORTHINGS & EASTINGS, SEE BRIDGE PLANS.


**AYER
WEST MAIN STREET**

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		15	44

T&B PROJECT FILE NO. 17-023.01

TRAFFIC MANAGEMENT PLANS
SHEET 5 OF 8


STAGE 1



NOTE:
SEE ADVANCED SIGNING PLAN FOR PEDESTRIAN DETOUR SIGNAGE ALONG SHIRLEY STREET


PEDESTRIAN DETOUR SHALL DIRECT PEDESTRIANS ALONG UNION STREET, TURN ON TO SHIRLEY STREET, THEN TURN ON TO ROGERS AVE, AND BACK ON TO WEST MAIN STREET. PEDESTRIAN PATH SHALL HAVE A 5' CLEAR WIDTH SEPARATED BY BARRELS SPACED AT NO MORE THAN 20' APART

STAGE 2




NOTE:
SEE ADVANCED SIGNING PLAN FOR PEDESTRIAN DETOUR SIGNAGE ALONG SHIRLEY STREET


PEDESTRIAN DETOUR SHALL DIRECT PEDESTRIANS ALONG UNION STREET, TURN ON TO SHIRLEY STREET, THEN TURN ON TO ROGERS AVE, AND BACK ON TO WEST MAIN STREET. PEDESTRIAN PATH SHALL HAVE A 5' CLEAR WIDTH SEPARATED BY BARRELS SPACED AT NO MORE THAN 20' APART



STAGE 3A





STAGE 3B



NOTE:
SEE ADVANCED SIGNING PLAN FOR PEDESTRIAN DETOUR SIGNAGE ALONG SHIRLEY STREET
PEDESTRIAN DETOUR SHALL DIRECT PEDESTRIANS ALONG UNION STREET, TURN ON TO SHIRLEY STREET, THEN TURN ON TO ROGERS AVE. AND BACK ON TO WEST MAIN STREET. PEDESTRIAN PATH SHALL HAVE A 5' CLEAR WIDTH SEPARATED BY BARRELS SPACED AT NO MORE THAN 20' APART

NOTE:
SEE ADVANCED SIGNING PLAN FOR PEDESTRIAN DETOUR SIGNAGE ALONG SHIRLEY STREET
PEDESTRIAN DETOUR SHALL DIRECT PEDESTRIANS ALONG UNION STREET, TURN ON TO SHIRLEY STREET, THEN TURN ON TO ROGERS AVE. AND BACK ON TO WEST MAIN STREET. PEDESTRIAN PATH SHALL HAVE A 5' CLEAR WIDTH SEPARATED BY BARRELS SPACED AT NO MORE THAN 20' APART





SEQUENCE AND TIMING FOR ACTUATED CONTROL (ISOLATED)

STREET	DIRECTION	HOUSINGS	1	2	3	4	5	6	7	8	9	FLASH
WEST MAIN ST	EB	A,B	G	Y	R	R	R	R	R	R	R	FY
WEST MAIN ST	WB	C,D	R	R	R	G	Y	R	R	R	R	FY
PEDESTRIANS	ALL	P1 - P4	DW	DW	DW	DW	DW	W	FDW	DW	DW	OFF
PDAD (Ø1 & Ø3)	N/A		FRA	Y	R	FLA	Y	R	R	R	R	R
PDAD (Ø2)	N/A		FLA	Y	R	FRA	Y	R	R	R	R	R

TIMING IN SECONDS												
MINIMUM GREEN (INITIAL)			40			40						
YELLOW CLEARANCE				3			3					
RED CLEARANCE					17			17				
WALK (W)									5			
PEDESTRIAN CLEARANCE										10	4	

RECALL	Ø1	Ø2	Ø3	EMERGENCY ONLY
	ON	ON	OFF	

MAJOR ITEMS REQUIRED		
PAY ITEM	QUANTITY	ITEM
	1	CONTROLLER NEMA 8 PHASE TS2-TYPE 1
	2	TRAILER MOUNTED PORTABLE MAST ARMS, SOLAR POWERED WITH BATTERY BACKUP, RADAR VEHICLE DETECTION, AND WIRELESS COMMUNICATION
	4	1 WAY, 3 SECTION, SIGNAL HOUSING (12" L.E.D.)
	1	PRE-EMPTION STROBE WITH RELAY
	2	PRE-EMPTION RECEIVER - SINGLE CHANNEL
	2	PRE-EMPTION PHASE SELECTOR - DUAL CHANNEL
816.81	3	PORTABLE DRIVEWAY ASSISTANCE DEVICE INCLUDING: - SELF CONTAINING TRAILER WITH MAST ARM - 1-3 SECTION LED SIGNAL HEAD - 12 VDC BATTERY SYSTEM WITH SOLAR CHARGING - WIRELESS RADIO WORK COMMUNICATION
	4	8 FT TRAFFIC SIGNAL POST, SOLAR POWERED WITH WIRELESS COMMUNICATION
	4	PEDESTRIAN HOUSING (16" COUNTDOWN L.E.D.)
	4	APS PEDESTRIAN PUSH BUTTON, SIGN & SADDLES

EMERGENCY PREEMPTION SCHEDULE

APPROACH	PREEMPTION PHASE	NEXT PHASE CALLED	TIME (SEC.)
EASTBOUND	1	2	MIN. 10 MAX 120
WESTBOUND	2	1	MIN. 10 MAX 120


EMERGENCY VEHICLE PREEMPTION OPERATION:

- EMERGENCY VEHICLE PREEMPTION SHALL BE ACTUATED BY AN OPTICAL SIGNAL FROM AN OPTICAL EMITTER MOUNTED ON AN EMERGENCY VEHICLE AND RECEIVED BY AN OPTICAL DETECTOR LOCATED AT INTERSECTION. A SEPARATE RECEIVING DETECTOR IS REQUIRED FOR EACH DETECTED APPROACH.
- PREEMPTION SIGNALS FROM MULTIPLE APPROACHES SHALL BE SERVICED ON A FIRST DETECTED FIRST SERVED BASIS. IN RESPONSE TO A PREEMPTION SIGNAL RECEIVED AT AN INTERSECTION BY AN OPTICAL DETECTOR, THE CONTROLLER SHALL TIME THE CLEARANCE INTERVALS OF THE ACTIVE PHASE (IF DIFFERENT THAN THAT TO BE SERVICED) AND ADVANCE TO AND/OR HOLD IN EMERGENCY VEHICLE PREEMPTION PHASE UNTIL PREEMPTION SIGNAL CEASES. THE CONTROLLER SHALL THEN TIME CLEARANCES AND SIMILARLY SERVICE OTHER EMERGENCY VEHICLE PREEMPTION SEQUENCES IN THE ORDER RECEIVED (IF RECEIVED) OTHERWISE, RESUME NORMAL PREFERENTIAL PHASE SEQUENCE.
- PREEMPTION MINIMUM GREENS SHALL BE TEN SECONDS.
- NORMAL CLEARANCES SHALL BE PROVIDED ON PHASES THAT ARE TERMINATED BY PREEMPTION DEMAND.
- ACTUAL TIMING FOR PREEMPTION SHALL BE DETERMINED IN THE FIELD IN COORDINATION WITH THE FIRE DEPARTMENT.

SEQUENCE & TIMING NOTES:

- IF CALLS EXIST ON ALL PHASES, THE ASSIGNMENT OF RIGHT OF WAY SHALL BE IN ACCORDANCE WITH THE PREFERENTIAL PHASE SEQUENCE.
- FLASHING OPERATION IS FOR EMERGENCY ONLY. THE SIGNAL SHALL PROVIDE STOP AND GO OPERATION 24 HOURS DAILY.
- Ø4, Ø5, Ø6, Ø7, Ø8, & Ø9 SHALL NOT BE USED.
- THE CONTRACTOR SHALL MONITOR TRAFFIC CONDITIONS DURING CONSTRUCTION AND ADJUST SIGNAL TIMINGS AS NECESSARY AND AS DIRECTED BY THE ENGINEER.

PREFERENTIAL PHASING SEQUENCE




SIGNAL IDENTIFICATION



- NOTES:
- ALL SIGNALS SHALL HAVE TUNNEL VISORS.
 - ALL SIGNALS SHALL HAVE 12" LED WITH 5" LOUVERED BACK PLATES W/ 2" REFLECTIVE BORDER

PORTABLE DRIVEWAY ASSISTANCE DEVICE DETAIL (PDAD)



NOTES


- PORTABLE DRIVEWAY ASSISTANCE DEVICES SHALL DISPLAY A FLASHING RED ARROW IN DIRECTION OF TRAFFIC DURING Ø1 & Ø2 GREEN AND YELLOW CLEARANCE INTERVALS. A SOLID RED BALL SHALL BE DISPLAYED DURING Ø3 AND ALL RED CLEARANCE INTERVALS.
- AFFIX ONE (1) R10-11 AND ONE (1) R10-27(MOD) SIGN, FACING THE SAME DIRECTION AS THE LENSES, TO EACH PORTABLE DRIVEWAY ASSISTANCE DEVICE.
- ANY SIGNS MOUNTED TO THE PORTABLE DRIVEWAY ASSISTANCE DEVICES SHALL BE CLEARLY VISIBLE TO THE INTENDED TARGET.

AYER WEST MAIN STREET

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		17	44

T&B PROJECT FILE NO. 17-023.01

TRAFFIC MANAGEMENT PLANS SHEET 7 OF 8



TEMPORARY CONSTRUCTION SIGN SUMMARY

**AYER
WEST MAIN STREET**

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		18	44
T&B PROJECT FILE NO.		17-023.01	


TRAFFIC MANAGEMENT PLANS
SHEET 8 OF 8

SIGN ID NUMBER	SIZE		MESSAGE	DIMENSIONS (IN)			NUMBER REQUIRED	COLOR		
	WIDTH (IN)	HEIGHT (IN)		LETTER HEIGHT	VERTICAL SPACING	ARROW RTE. MKR.		BACK-GROUND	LEGEND	BORDER
MA-R2-10a	60	48		2	2	2	2	ORANGE WHITE	BLACK	BLACK
MA-R2-10e	48	60		↓	↓	↓	2	ORANGE WHITE	BLACK	BLACK
M4-8a	24	18		1	1	1	4	ORANGE	BLACK	BLACK
M4-9L	30	24					3	ORANGE	BLACK	BLACK
M4-9R	30	24					6	ORANGE	BLACK	BLACK
M4-9V	30	24					5	ORANGE	BLACK	BLACK
M4-10L	48	18					2	BLACK ORANGE	BLACK	BLACK
M4-10R	48	18					2	BLACK ORANGE	BLACK	BLACK
R10-6	24	36					2	WHITE	BLACK	BLACK
M4-9bR	30	24					3	ORANGE	BLACK	BLACK
M4-9bL	30	24					4	ORANGE	BLACK	BLACK
R9-11aR	24	12					1	WHITE	BLACK	BLACK
R9-11aL	24	12					1	WHITE	BLACK	BLACK
R9-9	24	12					4	WHITE	BLACK	BLACK
R10-11	24	30					3	WHITE	BLACK	BLACK
R10-27 (MOD.)	36	36					3	WHITE	BLACK	BLACK
MA-W20-7b	36	36					3	ORANGE	BLACK	BLACK
W5-1	36	36					1	ORANGE	BLACK	BLACK
W20-4	36	36					3	ORANGE	BLACK	BLACK
W21-5a	36	36		↓	↓	↓	1	ORANGE	BLACK	BLACK

SIGN ID NUMBER	SIZE		MESSAGE	DIMENSIONS (IN)			NUMBER REQUIRED	COLOR		
	WIDTH (IN)	HEIGHT (IN)		LETTER HEIGHT	VERTICAL SPACING	ARROW RTE. MKR.		BACK-GROUND	LEGEND	BORDER
R11-4	60	30		1	1	1	1	WHITE	BLACK	BLACK
R11-2	48	30					2	WHITE	BLACK	BLACK
W1-4R	36	36					1	ORANGE	BLACK	BLACK
W3-3	36	36					2	ORANGE	BLACK	BLACK
W13-1 (25)	24	24					2	ORANGE	BLACK	BLACK
W20-1	36	36					2	ORANGE	BLACK	BLACK
W20-2c	36	36					3	ORANGE	BLACK	BLACK
W20-4c	36	36					2	ORANGE	BLACK	BLACK
D3-1	32	12					2	ORANGE	BLACK	BLACK
D3-2	36	12					2	ORANGE	BLACK	BLACK
D3-3	36	12		↓	↓	↓	3	ORANGE	BLACK	BLACK
SP-1	-	-		2	2	2	2	ORANGE	BLACK	BLACK
SP-2	-	-		↓	↓	↓	1	ORANGE	BLACK	BLACK

SIGN SUMMARY NOTES:

1. HIGH INTENSITY ENCAPSULATED LENS REFLECTIVE SHEETING SHALL BE USED FOR ALL SIGNS. THE "MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES" 2009 EDITION, THE 1996 MASSDOT CONSTRUCTION AND TRAFFIC STANDARD DETAILS", AND ALL ADMENDMENTS WILL GOVERN.
2. NUMERICAL LIMITS AND JUSTIFICATION FOR SPEED & ADVISORY EXIT SPEED SIGNS SHALL BE DETERMINED BY THE ENGINEER OR THE AYER DPW SUPERINTENDENT.
3. ① SEE MUTCD 2009 EDITION, 2004 STD. HWY. SIGNS AND SECTION M9.30.0 TYPE III OF THE MASSDOT STANDARD SPECIFICATION FOR TEXT DIMENSIONS AND COLOR.
② SEE MASSDOT SIGN STANDARDS.



WETLAND REPLICATION CROSS-SECTION

SCALE: 1"=4'

NEW ENGLAND ROADSIDE WET MEADOW SEED MIX

GRASSES / SEDGES

- Elymus riparius / Riverbank Wild Rye
- Festuca rubra / Creeping Red Fescue
- Elymus virginicus / Virginia Wild Rye
- Panicum dichotomiflorum / Smooth Panic Grass
- Panicum virgatum / Switch Grass
- Carex lurida / Lurid Sedge
- Carex scoparia / Blunt Broom Sedge
- Agrostis scabra / Rough Bentgrass/Ticklegrass
- Scirpus atrovirens / Green Bulrush

WILDFLOWERS

- Bidens aristosa / Tickseed Sunflower/Bur Marigold
- Verbena hastata / Blue Vervain
- Helenium autumnale / Common Sneezeweed
- Asclepias incarnata / Swamp Milkweed
- Aster novae-angliae / New England Aster
- Eupatorium maculatum (Eutrochium maculatum) / Spotted Joe Pye Weed
- Eupatorium perfoliatum / Boneset

SHRUBS

- Cornus amomum / Silky Dogwood
- Viburnum dentatum / Arrow Wood Viburnum
- Sambucus canadensis / Elderberry
- Cornus sericea / red-osier dogwood

NEW ENGLAND ROADSIDE UPLAND SEED MIX

GRASSES / SEDGES

- Elymus canadensis / Canada Wild Rye
- Schizachyrium scoparium / Little Bluestem
- Festuca rubra / Creeping Red Fescue
- Andropogon gerardii / Big Bluestem
- Sorghastrum nutans / Indian Grass
- Panicum virgatum / Switch Grass

WILDFLOWERS

- Chamaecrista fasciculata / Partridge Pea
- Asclepias syriaca / Common Milkweed
- Zizia aurea / Golden Alexanders
- Desmodium canadense / Showy Tick Trefoil
- Lespedeza capitata / Bush Clover/Roundhead Lespedeza
- Heliopsis helianthoides / Ox Eye Sunflower
- Monarda fistulosa / Wild Bergamot
- Rudbeckia hirta / Black Eyed Susan
- Aster laevis / Smooth Blue Aster
- Euthamia graminifolia / Grass Leaved Goldenrod
- Solidago juncea / Early Goldenrod

SHRUBS

- Rhus typhina / Staghorn Sumac
- Cornus amomum / Silky Dogwood
- Cornus racemosa / Grey Dogwood

CONSTRUCTION NOTES:

- 1) STONE FOR PIPE ENDS SHALL BE CONSTRUCTED ENTIRELY WITHIN THE PERMANENT IMPACT WETLAND AREA

DETAIL (SEED MIXTURES)

NOTES:

GENERAL

- PRIOR TO SEEDING, BOUNDARIES OF SEEDING/ PLANTING AREAS TO BE STAKED BY CONTRACTOR AND APPROVED BY PROJECT MANAGER OR WETLAND SCIENTIST.
- INSTALLATION OF SEEDING MIX SHALL NOT TAKE PLACE IN ANY INUNDATED AREAS.
- INSTALLATION OF SEEDING MIX SHALL INCLUDE A LIGHT RAKE OR ROLL TO ENSURE PROPER SEED TO SOIL CONTACT.
- INSTALLATION OF STRAW MULCH IN SEEDED AREAS WITH SLOPES SHALLOWER THAN 4:1 (HORIZONTAL:VERTICAL).
- INSTALLATION OF EROSION CONTROL BLANKET IMMEDIATELY FOLLOWING INSTALLATION OF SEED ON AREAS WITH SLOPES STEEPER THAN 4:1 (HORIZONTAL:VERTICAL).

WETLAND AND UPLAND SEEDING AREAS

- WITHIN 48 HOURS OF FINAL GRADING, APPLY SEED (NEW ENGLAND MATRIX ROADSIDE WET MEADOW SEED MIX OR APPROVED EQUAL) IN DESIGNATED WETLAND PLANTING AREAS, AND APPLY SEED (NEW ENGLAND MATRIX ROADSIDE UPLAND SEED MIX OR APPROVED EQUAL) IN DESIGNATED UPLAND AREAS.
- PREFERRED TIME OF YEAR FOR WETLAND AND UPLAND SEEDING APPLICATIONS IS SPRING.
- NO FERTILIZER SHALL BE USED WITH SEEDING MIX APPLICATIONS IN ANY WETLANDS.
- NO FERTILIZER SHALL BE USED WITH SEEDING MIX APPLICATIONS IN UPLANDS AREAS ADJACENT TO WETLANDS.

LEGEND

- PERMANENT IMPACT WETLAND, GRADES RESTORED, SEEDED WITH NE WET MIX
- TEMPORARY IMPACT WETLAND, GRADES RESTORED, SEEDED WITH NE WET MIX
- TEMPORARY FLOODPLAIN / BLSF IMPACT, PROPOSED GRADES OR GRADES RESTORED, SEEDED WITH NE UPLAND SEED MIX
- PERMANENT FLOODPLAIN / BLSF IMPACT, WITH LOAM AND SEEDED WITH NE UPLAND SEED MIX
- WETLAND MITIGATION AREA, SEEDED WITH NE WET MIX




AYER
WEST MAIN STREET

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		19	44




T&B PROJECT FILE NO. 17-023.01

WETLAND REPLICATION PLAN & DETAILS



GRADING & PLANTING PLAN

SCALE: 1" = 20'



AYER
WEST MAIN STREET

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	20	44



PROJECT FILE NO. 17-023.01

KEY PLAN

INDEX OF BRIDGE DRAWINGS

SHEET NO.	DESCRIPTION
1	KEY PLAN
2	GENERAL NOTES
3	BORING LOGS I
4	BORING LOGS II
5	BORING LOGS III
6	PLAN & ELEVATION
7	STAGE CONSTRUCTION SECTION I
8	STAGE CONSTRUCTION SECTION II
9	STAGE CONSTRUCTION SECTION III
10	STAGE CONSTRUCTION SECTION IV
11	STAGE CONSTRUCTION PLAN I
12	STAGE CONSTRUCTION PLAN II
13	STAGE CONSTRUCTION PLAN III
14	BRIDGE LAYOUT PLAN
15	PRECAST CONCRETE RIGID FRAME DETAILS I
16	PRECAST CONCRETE RIGID FRAME DETAILS II
17	PRECAST CONCRETE RIGID FRAME DETAILS III
18	UTILITY SUPPORT DETAILS
19	HIGHWAY GUARDRAIL TRANSITION BASE DETAILS
20	HIGHWAY GUARDRAIL TRANSITION DETAILS
21	S3-TL4 BRIDGE RAIL

- BORING LEGEND**
- LOCATION OF SAMPLE BORINGS
 - LOCATION OF SAMPLE PROBE



HOYLE TANNER
100 INTERNATIONAL DRIVE, SUITE 360
PORTSMOUTH, NH 03801
PHONE: 603-431-2520
FAX: 603-431-8067

ISSUED FOR CONSTRUCTION



**CONTRACT PLANS OF
PROPOSED BRIDGE
AYER
WEST MAIN STREET
OVER NONACOICUS BROOK**

16-005.01_BR1(KEY).DWG Plotted on 23-Dec-2024 12:59 PM 924001-Final Structural Submitter (SF) 23 December 2024

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	21	44
PROJECT FILE NO.		17-023.01	

GENERAL NOTES

GENERAL NOTES

DESIGN

IN ACCORDANCE WITH THE 2020 AMERICAN ASSOCIATION OF STATE HIGHWAY AND TRANSPORTATION OFFICIALS LRFD BRIDGE DESIGN SPECIFICATIONS, FOR HL-93 LOADING.

MASSDOT BENCH MARK

BENCH MARK BM-1 (OUTSIDE OF PLAN LIMITS)
BONNET BOLT, FIRE HYDRANT AT 111 WEST MAIN ST.,
N. 3029008.4520
E. 629833.9290
EL. 228.51

BENCH MARK BM-2 (OUTSIDE OF PLAN LIMITS)
BONNET BOLT, FIRE HYDRANT WEST MAIN ST. AT 3 UNION ST.,
N. 3029176.6216
E. 630295.6550
EL. 224.35

ELEVATIONS ARE BASED ON THE NORTH AMERICAN VERTICAL DATUM (NAVD) OF 1988.

DATE

TO BE PLACED ON THE INSIDE FACE OF THE NORTHWESTERLY AND SOUTHEASTERLY HIGHWAY GUARDRAIL TRANSITIONS. A SHEET SHOWING SIZE AND CHARACTER OF NUMERALS WILL BE FURNISHED. THE DATE USED SHALL BE THE LATEST YEAR OF CONTRACT COMPLETION AS OF THE DATE THE FIRST HIGHWAY GUARDRAIL TRANSITIONS IS COMPLETED. BOTH HIGHWAY GUARDRAIL TRANSITIONS SHALL FEATURE THE SAME DATE.

MASSDOT SURVEY NOTEBOOK

EXISTING DETAIL, PROPERTY LINE AND SURVEY BASELINE INFORMATION USED IN THE PREPARATION OF THE CONSTRUCTION DRAWINGS WAS DEVELOPED FROM SURVEY PREPARED BY CHAPPELL ENGINEERING. COPIES OF THE ELECTRONIC SURVEY FILES MAY BE OBTAINED FROM WORLDTech ENGINEERING LLC.

SCALES

SCALES NOTED ON THE PLANS ARE NOT APPLICABLE TO REDUCED SIZE PRINTS. DIVIDE SCALES BY 2 FOR HALF-SIZE PRINTS (A3).

FOUNDATIONS

FOUNDATIONS MAY BE ALTERED, IF NECESSARY, TO SUIT CONDITIONS ENCOUNTERED DURING CONSTRUCTION, WITH THE APPROVAL OF THE ENGINEER.

UNSUITABLE MATERIAL

ALL UNSUITABLE MATERIAL SHALL BE REMOVED WITHIN THE LIMITS OF THE FOUNDATIONS OF THE STRUCTURE, AS DIRECTED BY THE ENGINEER.

SEISMIC GROUND SHAKING HAZARD

DESIGN RETURN PERIOD: 1000 YEAR

DESIGN SPECTRA:

As = 0.184
SDS = 0.382
SD1 = 0.142

SITE CLASS = E

SEISMIC DESIGN CATEGORY (SDC) = A

REINFORCEMENT

REINFORCING STEEL SHALL CONFORM TO THE REQUIREMENTS OF AASHTO M 31 GRADE 60. UNLESS OTHERWISE NOTED ON THE CONSTRUCTION DRAWINGS, ALL BARS SHALL BE LAPPED AS FOLLOWS:

MODIFICATION CONDITION	#4 BARS	#5 BAR	#6 BARS
1. NONE	16"	17"	21"
2. 12" OF CONCRETE BELOW BAR	18"	22"	27"
3. COATED BARS, COVER < 3d _b , OR CLEAR SPACING < 6d _b	21"	26"	31"
4. COATED BARS, ALL OTHER CASES	17"	21"	25"
5. CONDITION 2. AND 3.	23"	29"	35"
6. CONDITION 2. AND 4.	21"	27"	32"

EXISTING CONDITIONS

DIMENSIONS AND ELEVATIONS OF THE EXISTING STRUCTURE SHOWN ON THESE PLANS ARE TAKEN FROM SURVEY AND FIELD MEASUREMENTS AND ARE NOT GUARANTEED. THE CONTRACTOR SHALL DETERMINE AND ESTABLISH ALL DIMENSIONS AND EXISTING DETAILS NECESSARY FOR COMPLETION OF ALL WORK BY FIELD MEASUREMENTS AND SURVEY. THE CONTRACTOR SHALL BE RESPONSIBLE FOR THE ADEQUACY AND ACCURACY THEREFORE, AND SHALL NOT ORDER ANY MATERIAL OR COMMENCE ANY FABRICATION UNTIL THE CONTRACTOR HAS MADE THE REQUIRED MEASUREMENTS ON THE ACTUAL STRUCTURE, AND EXTENT OF THE PROPOSED WORK HAS BEEN APPROVED BY THE ENGINEER.

THE CONTRACTOR SHALL NOTIFY THE ENGINEER IMMEDIATELY UPON DISCOVERY OF ANY DISCREPANCIES BETWEEN INFORMATION SHOWN ON THE CONSTRUCTION PLANS AND ACTUAL FIELD CONDITIONS. THE CONTRACTOR MAY BE REQUIRED TO DOCUMENT EXISTING CONDITIONS IN SKETCHES OR OTHER METHODS AS DIRECTED BY THE ENGINEER.

HYDRAULIC DESIGN DATA

DRAINAGE AREA: 16.72 SQUARE MILES
DESIGN FLOOD DISCHARGE: 605 CUBIC FEET PER SECOND
DESIGN FLOOD FREQUENCY: 25 YEARS
DESIGN FLOOD VELOCITY: 2.2 FEET PER SECOND
DESIGN FLOOD ELEVATION: 215.7 FEET, NAVD

BASE (100 YEAR) FLOOD DATA

BASE FLOOD DISCHARGE: 719 CUBIC FEET PER SECOND
BASE FLOOD ELEVATION: 217.1 FEET, NAVD

DESIGN AND CHECK SCOUR DATA

DESIGN SCOUR FLOOD EVENT RETURN FREQUENCY: 50 YEARS
CHECK SCOUR FLOOD EVENT RETURN FREQUENCY: 100 YEARS

FLOOD OF RECORD

DISCHARGE: UNKNOWN CUBIC FEET PER SECOND
FREQUENCY (IF KNOWN): UNKNOWN YEARS
MAXIMUM ELEVATION: UNKNOWN FEET, NAVD
DATE: UNKNOWN MONTH, YEAR
HISTORY OF ICE FLOES: NONE DOCUMENTED IN NBIS DATABASE
EVIDENCE OF SCOUR AND EROSION: SOUTHEAST CORNER UNDERMINED UP TO 2' DEEP. SEVERE EMBANKMENT EROSION ADJACENT TO SOUTHEAST WINGWALL

CONCRETE

PRECAST CONCRETE RIGID FRAME, 5,000 PSI, $\frac{3}{4}$ ", 685 HP CEMENT CONCRETE
CAST-IN-PLACE CLOSURE POUR,
PRECAST CONCRETE MODULAR WALLS (WINGWALLS), HEADWALLS, SIDEWALK AND HIGHWAY GUARDRAIL TRANSITION

CAST-IN-PLACE CONCRETE PEDESTAL WALLS AND FOOTINGS 4,000 PSI, $1\frac{1}{2}$ ", 565 CEMENT CONCRETE

CAST-IN-PLACE CONCRETE OVERLAY 5,000 PSI, $\frac{3}{4}$ ", 685 HP CEMENT CONCRETE

TRAFFIC:

TRAFFIC WILL BE MAINTAINED VIA STAGED CONSTRUCTION. TRAFFIC MANAGEMENT SHALL BE IN ACCORDANCE WITH THE TEMPORARY TRAFFIC CONTROL PLANS.

UTILITIES:

OVERHEAD UTILITIES ARE PRESENT WITHIN THE PROJECT SITE. THE CONTRACTOR SHALL BE FAMILIAR AND TAKE NECESSARY PRECAUTIONS WITH THE UTILITIES DURING CONSTRUCTION. COORDINATION FOR THE TEMPORARY AND PERMANENT RELOCATIONS OF OVERHEAD UTILITIES, AS WILL BE NECESSARY TO CONSTRUCT THE PROJECT, HAS BEEN INITIATED. HOWEVER, THE CONTRACTOR SHALL CONTINUE TO COORDINATE RELOCATIONS WITH THE IMPACTED UTILITIES, AS MAY BE NECESSARY, UPON RECEIPT OF NOTICE TO PROCEED.

UNDERGROUND UTILITIES ARE PRESENT WITHIN THE PROJECT SITE. THE LOCATION OF EXISTING UNDERGROUND UTILITIES SHOWN ARE BASED ON SUBSURFACE UTILITY ENGINEERING, QUALITY LEVEL A AND B. THIS INFORMATION IS INCLUDED IN APPENDIX K IN THE CONTRACT DOCUMENTS.

EXISTING COMMUNICATION CONDUITS WILL BE RETAINED AND SUPPORTED DURING CONSTRUCTION WITH A TEMPORARY UTILITY BRIDGE. VERIZON, OR THEIR REPRESENTATIVE/CONTRACTOR, WILL BE RESPONSIBLE FOR THE INSTALLATION, MAINTENANCE, AND REMOVAL OF THIS TEMPORARY UTILITY BRIDGE. REFER TO TEMPORARY UTILITY BRIDGE PLANS INCLUDED IN APPENDIX J OF THE SPECIFICATIONS, AND TO SPECIAL PROVISION FOR ITEM 1000.1 - DATA CONDUIT ACCOMMODATIONS, FOR DETAILED INFORMATION REGARDING THE CONTRACTOR'S RESPONSIBILITIES RELATED TO THIS WORK.

EXISTING GAS FACILITIES ARE LOCATED WITHIN THE PROJECT LIMITS, AND PORTIONS THEREOF WILL BE RELOCATED BY NATIONAL GRID AS PART OF THE PROJECT. THE CONTRACTOR SHALL COMPLY WITH NATIONAL GRID'S GENERAL GUIDELINES FOR WORKING AROUND GAS UTILITIES, SOME OF WHICH ARE OUTLINED IN THE DOCUMENTS INCLUDED IN APPENDIX I OF THE CONTRACT DOCUMENTS. THE CONTRACTOR SHALL ALSO COORDINATE WITH THE PRECAST CONCRETE RIGID FRAME AND THE PRECAST MODULAR WINGWALL PRECASTER(S) FOR SUPPORT OF RELOCATED GAS MAINS, AND TO PROVIDE ADEQUATE OPENINGS FOR UTILITIES AND REINFORCING AROUND OPENINGS. REFER TO THE NATIONAL GRID GAS MAIN RELOCATION PLANS INCLUDED IN APPENDIX M OF THE SPECIFICATIONS, AND TO SPECIAL PROVISION FOR ITEM 1000.2 - GAS MAIN ACCOMMODATIONS, FOR DETAILED INFORMATION REGARDING THE CONTRACTOR'S RESPONSIBILITIES RELATED TO THIS WORK.

COFFERDAMS

- THE DESIGN AND CONSTRUCTION OF THE BRIDGE REQUIRES STEEL SHEETING FOR THE PURPOSE OF TEMPORARY EARTH SUPPORT AND FOR PERMANENT SCOUR PROTECTION, AS WELL AS A SEPARATE TEMPORARY EXCAVATION SUPPORT SYSTEM THAT IS ANTICIPATED TO BE STEEL SHEETING.
- ITEM 953., PERMANENT STEEL SHEETING, SHALL BE PAID FOR BY THE LINEAR FOOT AS SHOWN ON THE PLANS. THE QUANTITY MEASURED FOR PAYMENT WILL BE THE HORIZONTAL PROJECTION OF THE SHEETING ON A PLANE PARALLEL TO AND MIDWAY BETWEEN THE FRONT AND REAR FACE OF THE SHEETING WALL. THE PERMANENT STEEL SHEETING SHALL BE DESIGNED AND DETAILED BY THE CONTRACTOR FOR THE TEMPORARY SUPPORT OF EXCAVATION DURING CONSTRUCTION, AND AS A PERMANENT SCOUR COUNTERMEASURE. THE CONTRACTOR SHALL DETERMINE THE STEEL SHEETING SECTION AND EMBEDMENT DEPTH NECESSARY TO SATISFY BOTH THE TEMPORARY AND PERMANENT CONDITIONS. THE DESIGN SHALL BE SUBMITTED TO THE ENGINEER FOR REVIEW AND APPROVAL. THE QUANTITY OF PERMANENT STEEL SHEETING IS ESTIMATED TO BE APPROXIMATELY 800 SY BASED ON THE ANTICIPATED DEPTH OF EXCAVATION, THE DESIGN SCOUR DEPTH, AND A TYPICAL EMBEDMENT DEPTH OF 1.5 TIMES THE SUPPORTED SOIL HEIGHT. SEE SPECIAL PROVISION FOR ITEM 953., PERMANENT STEEL SHEETING, FOR MORE INFORMATION.
- ITEM 953.3, EXCAVATION SUPPORT SYSTEM, SHALL BE PAID FOR BY THE SQUARE YARD OF EXPOSED STEEL SHEETING, MEASURED AFTER EXCAVATION IS COMPLETE. THE LOWEST BOTTOM OF SHEETING ELEVATION, FOR MEASUREMENT AND PAYMENT PURPOSES, SHALL BE 2' BELOW THE BOTTOM OF FOOTING. THE CONTRACTOR MAY EXCAVATE TO A LOWER ELEVATION, BUT NO ADDITIONAL PAYMENT WILL BE MADE IF THE DEEPER EXCAVATION IS MADE FOR THE CONTRACTOR'S CONVENIENCE OR TO ACCOMMODATE THE CONTRACTOR'S MEANS AND METHODS OF CONSTRUCTION. IF UNSUITABLE MATERIAL IS ENCOUNTERED AND THE EXCAVATION SUPPORT SYSTEM AND EXCAVATION LIMITS MUST BE ADJUSTED FOR REMOVAL OF UNSUITABLE MATERIALS, THE COST OF SHEETING WILL BE PAID FOR AT THE CONTRACT UNIT PRICE. AT ALL LOCATIONS, THE TEMPORARY EARTH SUPPORT SHALL EXTEND LONGITUDINALLY SUCH THAT THE MAXIMUM SLOPE OF THE EXCAVATED (OR PROPOSED) SURFACE DOES NOT EXCEED 1 VERTICAL TO 2 HORIZONTAL. A MINIMUM SLOPE OF 1 VERTICAL TO 3 HORIZONTAL IS THE SHALLOWEST SLOPE ASSUMED TO BE NECESSARY FOR TRANSITIONING BETWEEN EXISTING GROUND AND THE EXCAVATION INSIDE THE EXCAVATION SUPPORT SYSTEM. THE CONTRACTOR MAY UTILIZE AN EXCAVATION SUPPORT SYSTEM THAT ACCOMMODATES A FLATTER TRANSITION THAN 3:1; HOWEVER, NO ADDITIONAL PAYMENT WILL BE MADE FOR PORTIONS OF THE EXCAVATION SUPPORT SYSTEM NECESSARY TO ACCOMMODATE THE FLATTER SLOPE. SEE SPECIAL PROVISION FOR ITEM 953.3, EXCAVATION SUPPORT SYSTEM, FOR MORE INFORMATION.
- ANY ADJUSTMENTS TO THE EXTENT OR NATURE OF EITHER ITEM 953. OR ITEM 953.3 RESULTING FROM THE UTILITY RELOCATION WORK OCCURRING CONCURRENTLY WITH THE CONTRACTOR'S WORK, INCLUDING BUT NOT LIMITED TO ADDITIONAL EXCAVATION SUPPORT MEASURES NECESSARY BECAUSE OF THE PRESENCE OF THE TEMPORARY UTILITY BRIDGE AND/OR THE NEED FOR SPECIALIZED CONSTRUCTION OR SHEETING INSTALLATION PROCEDURES BECAUSE OF THE PRESENCE OF EXISTING OR PROPOSED GAS INFRASTRUCTURE, SHALL BE PAID UNDER EITHER ITEM 1000.1 OR ITEM 1000.2. REFER TO THE SPECIAL PROVISIONS FOR THOSE ITEMS FOR FURTHER INFORMATION.

ESTIMATED QUANTITIES (NOT GUARANTEED)

ITEM NO.	DESCRIPTION	QUANTITY	UNIT
115.1	DEMOLITION OF BRIDGE NO. A-19-014	1	LS
140.	BRIDGE EXCAVATION	700	CY
150.	ORDINARY BORROW	160	CY
151.1	GRAVEL BORROW FOR BRIDGE FOUNDATION	100	CY
151.2	GRAVEL BORROW FOR BACKFILLING STRUCTURES AND PIPES	230	CY
450.61	SUPERPAVE BRIDGE SURFACE COURSE - 12.5 (SSC-B - 12.5)	10	TON
450.71	SUPERPAVE BRIDGE PROTECTIVE COURSE - 12.5 (SPC-B - 12.5)	10	TON
450.99	TEMPORARY HOT MIX ASPHALT	35	TON
751.	LOAM BORROW	20	CY
765.	SEEDING	170	SY
767.9	MATTING FOR EROSION CONTROL	170	SY
853.33	TEMPORARY BARRIER - LIMITED DEFLECTION (TL-3)	720	FT
853.331	TEMPORARY BARRIER - LIMITED DEFLECTION (TL-3) REMOVED AND RESET	720	FT
950.1	TEMPORARY SHORING	1	LS
953.	PERMANENT STEEL SHEETING	260	FT
953.3	EXCAVATION SUPPORT SYSTEM	400	SY
983.03	PARTIALLY GROUTED RIPRAP	60	CY
983.4	NATURAL STREAMBED MATERIAL	50	CY
991.1	CONTROL OF WATER - STRUCTURE NO. A-19-014	1	LS
995.01	BRIDGE STRUCTURE, BRIDGE NO. A-19-014	1	LS
1000.1	DATA CONDUIT ACCOMMODATIONS	1	LS
1000.2	GAS MAIN ACCOMMODATIONS	1	LS

ISSUED FOR CONSTRUCTION	
DATE	DESCRIPTION
USE ONLY PRINTS OF LATEST DATE	

Northern Test Boring, Inc. Boring Log

Client: HTA	Project Name: West Main Street
Location: Ayer, Ma	Driller: Mike Nadeau

Type	Casing	Sample	Core	Ground Water Observation	
Size	HSA	SS		13.0'	
Hammer Wt.	2 1/4"	1 3/8"		Start Date:	Finish Date:
Hammer Fall		30"		4/18/16	4/18/16

No.	Pen	Rec	Sample Depth	Sample Blow Counts				Depth	Stratum Description
S-1	24"	10"	0'-2'	5	7	4	4		1" Pavement (Sidewalk)
									Brown Fine-Medium Sand Some Gravel Trace Silt
S-2	24"	8"	5'-7'	3	3	3	3	5'	
									Brown Medium Sand Some Silt with Organics
S-3	24"	10"	10'-12'	3	3	2	1	10'	
									GROUND WATER EL. 206.5
S-4	24"	20"	15'-17'	3	6	9	12	15'	
									Brown Fine-Coarse Sand Some Gravel Trace Silt (Native)
S-5	24"	10"	20'-22'	2	2	2	2	20'	
									Brown Fine-Coarse Sand Trace Silt
S-6	24"	12"	25'-27'	2	2	3	3	25'	
									Brown Fine-Medium Sand Trace Silt
S-7	24"	10"	30'-32'	6	7	7	8	30'	
									Brown Fine-Medium Sand Trace Silt
S-8	24"	24"	35'-37'	3	3	4	4	35'	
									Brown Fine-Medium Sand Trace Silt
S-9	24"	24"	40'-42'	3	3	4	4	40'	
									Brown Fine-Medium Sand Some Fine Gravel Trace Silt
S-10	24"	20"	45'-47'	3	3	4	4	45'	
									Bottom of Exploration @ 47'

BORING B-3
NTS

Northern Test Boring, Inc. Boring Log

Client: HTA	Project Name: West Main Street
Location: Ayer, Ma	Driller: Mike Nadeau



Type	Casing	Sample	Core	Ground Water Observation	
Size	HSA	SS		13.0'	
Hammer Wt.	2 1/4"	1 3/8"		Start Date:	Finish Date:
Hammer Fall		30"		4/18/16	4/18/16

No.	Pen	Rec	Sample Depth	Sample Blow Counts				Depth	Stratum Description
S-1	24"	12"	0'-2'	30	28	9	5		5" Pavement
									Brown Medium-Coarse Sand and Gravel Trace Silt
S-2	24"	12"	5'-7'	3	2	2	1	5'	
									Brown Medium Sand Some Gravel and Silt
S-3	24"	20"	10'-12'	1	1	1	1	10'	
									Fine Sand Some Silt and Organics
S-4	24"	11"	15'-17'	8	8	9	9	15'	
									Peet Layer 11'-13.5' GROUND WATER EL. 206.6
S-5	24"	24"	20'-22'	2	2	2	2	20'	
									Brown Fine-Coarse Sand Trace Silt (Native)
S-6	24"	24"	25'-27'	3	4	4	5	25'	
									Brown Fine-Medium Sand Trace Silt
S-7	24"	24"	30'-32'	2	3	3	4	30'	
									Brown Fine-Medium Sand Trace Silt
S-8	24"	24"	35'-37'	2	2	2	3	35'	
									Brown Fine-Medium Sand Trace Silt
S-9	24"	24"	40'-42'	2	2	2	2	40'	
									Brown Fine-Medium Sand Trace Silt
S-10	24"	24"	45'-47'	2	2	2	3	45'	
									Bottom of Exploration @ 47'

BORING B-4
NTS

BORING NOTES:

1. LOCATION OF BORINGS SHOWN ON THE PLAN THUS:

-  LOCATION OF TEST PROBES
-  LOCATION OF SAMPLE BORINGS

2. BORINGS ARE TAKEN FOR PURPOSE OF DESIGN AND SHOW CONDITIONS AT BORING POINTS ONLY, BUT DO NOT NECESSARILY SHOW THE NATURE OF THE MATERIALS TO BE ENCOUNTERED DURING CONSTRUCTION.

3. WATER LEVELS SHOWN ON THE BORING LOGS WERE OBSERVED AT THE TIME OF TAKING BORINGS AND DO NOT NECESSARILY SHOW THE TRUE GROUND WATER LEVEL.

4. FIGURES IN COLUMNS INDICATE NUMBER OF BLOWS REQUIRED TO DRIVE A 1 3/8" I.D. SPLIT SPOON SAMPLER 6" USING A 140 POUND WEIGHT FALLING 30".


5. BORINGS B-3, B-4 AND TEST PROBES WERE COMPLETED USING HOLLOW STEM AUGERS. BORING SA-1 WAS COMPLETED USING A CASED WASH-BORING (DRIVE-AND-WASH). BORINGS B-3, B-4 AND TEST PROBES WERE MADE IN APRIL 2016. BORING SA-1 WAS MADE IN NOVEMBER 2018.

6. BORINGS AND TEST PROBES WERE MADE BY NORTHERN TEST BORING, INC., 187 MIGHTY ST., GORHAM, ME 04038.

7. THE NORTH AMERICAN VERTICAL DATUM (NAVD) OF 1988 IS USED THROUGHOUT.

8. PROBES WERE TAKEN TO A DEPTH OF 20' WITHOUT ENCOUNTERING REFUSAL.

	ISSUED FOR CONSTRUCTION
DATE	DESCRIPTION
	USE ONLY PRINTS OF LATEST DATE



Groundwater:						Project: Bridge over Nonacoicus Brook, Bridge A-19-14		Boring No. SA-1	
Depth: See Sheet 1						Location: West Main St, Ayer, MA			
Time:						Contractor: Northern Test B.		Sampler Type: Split spoon ID 1.375" OD 2"	
						Foreman: Mike Nadeau		Hammer Wt.: 140 lb	
						Start Date: 11/16/2018		Fall: 30"	
						Finish Date: 11/16/2018		Drill Technique: HSA/Case ID 4" OD 4.5"	
						SACE Staff: RSS		Rig Type: Rubber Track-Mounted	
						Surface El.: ± 220 ft		Datum: NAVD88	
						Equipment		Installed	
Depth (ft.)	Cas. Blows	Sample No.	Pen. (in.)	Rec. (in.)	Blows/ft.	Field Tests	Description & Classification	Stratum	Installed
					9				
					9				
		180							
60		SS-13	24	8	6		Medium dense, brown fine to medium SAND, trace Silt, wet.	SAND	
					8				
					11				
					16				
		193							
65		SS-14	24	0	6		No Recovery		
					7				
					7				
					9				
		222							
70		SS-15	24	15	5		Medium dense, brown fine to medium SAND, little Gravel, trace Silt, wet.		
					7				
					8				
					10				
		287							
75		SS-16	24	9	11		Medium dense, light brown fine to coarse SAND, little Gravel, little Silt, wet (POSSIBLE TILL).	POSSIBLE TILL	
					12				
					12				
					15				
		R-1	24	24			Driller encountered possible Bedrock at ~ 78 ft. deep. Cored 78-80. Core barrel plugged - no wash. Dark grey porphyritic meta-igneous rock with large phenocrysts, slightly weathered, extremely fractured RQD - 0. Boring terminated @ ~80 ft. deep at 3:40 pm on 11/16/18	POSSIBLE BEDROCK	
80									

Remarks:
 3. Rock core with NX size core barrel.
 NR = Not Recorded.
 Soil/rock strata and groundwater surface, where indicated, are approximate. Transitions may be gradual. Variations between exploration locations and over time should be expected.

Boring No.: SA-1 **Location:** See Exploration Location Plan 668 Main Street, Wilmington, MA 01887 (978) 988-2115



BORING SA-1 (3 OF 3)
NTS


	ISSUED FOR CONSTRUCTION
DATE	DESCRIPTION
USE ONLY PRINTS OF LATEST DATE	

16-005 01_BRF3_1(BORING LOGS)DWG Plotted on 23-Dec-2024 1:00 PM 924001 Final Structural Submittal (SF) 23 December 2024

AYER
WEST MAIN STREET


STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	25	44
PROJECT FILE NO.		17-023.01	

PLAN & ELEVATION



PLAN

SCALE: 1" = 8'



ELEVATION


SCALE: 1" = 8'

DATE	ISSUED FOR CONSTRUCTION
	DESCRIPTION
	USE ONLY PRINTS OF LATEST DATE

16-005.01_BRE(PLAN&ELEV).DWG Potted on 23-Dec-2024 1:01 PM 924001 Final Structural Submittal (SF) 23 December 2024

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	26	44

PROJECT FILE NO. 17-023.01
STAGE CONSTRUCTION
SECTION I



EXISTING TRANSVERSE SECTION
SCALE: 1/4" = 1'-0"


GENERAL STAGE CONSTRUCTION NOTES:

1. THE FOLLOWING IS A SUGGESTED CONSTRUCTION STAGING PLAN. THE FINAL STAGING PLAN SHALL BE PREPARED BY THE CONTRACTOR AND SUBMITTED TO THE ENGINEER FOR REVIEW AND APPROVAL PRIOR TO COMMENCEMENT OF CONSTRUCTION.
2. A MINIMUM OF ONE LANE OF ALTERNATING TWO-WAY TRAFFIC SHALL BE MAINTAINED AT ALL TIMES UNTIL SUBSTANTIAL COMPLETION IS ACHIEVED.
3. THE WORK AREA MUST BE PROTECTED AT ALL TIMES UNTIL THE WORK IS COMPLETE.
4. CONTRACTOR SHALL COORDINATE STAGE CONSTRUCTION WITH UTILITY COMPANIES.
5. CONSTRUCTION STAGE LIMITS ARE APPROXIMATE AND MAY BE ADJUSTED FOR ACTUAL PRECAST CONCRETE RIGID FRAME SECTION WIDTHS.

STAGE 1 - CONSTRUCTION

STAGE 1A

1. SHIFT 2 LANES OF TRAFFIC TO THE SOUTH SIDE OF WEST MAIN STREET AND MAINTAIN TWO-WAY TRAFFIC.
2. INSTALL BRACED PORTABLE CONCRETE BARRIER AT LIMITS OF TRAVEL LANES. SEE ROADWAY PLANS FOR ADDITIONAL INFORMATION.
3. DETOUR PEDESTRIAN TRAFFIC TO SHIRLEY STREET (SEE ROADWAY PLANS).
4. REMOVE EXISTING RAILING ON THE WESTBOUND SIDE OF WEST MAIN STREET.
5. INSTALL TEMPORARY PAVEMENT AND BRACED PORTABLE CONCRETE BARRIER ON WESTBOUND SIDE OF WEST MAIN STREET SO THAT THE EXISTING SIDEWALK CAN BE UTILIZED FOR THE TRAVEL LANE.
6. COORDINATE OVERHEAD UTILITY RELOCATIONS AND INSTALLATION OF WATER DIVERSION SYSTEM.
7. REMOVE UNKNOWN UTILITY IN 14x14 WOOD BOX.
8. INSTALL TEMPORARY SHORING TO SUPPORT NORTH SIDE OF EXISTING BRIDGE. TEMPORARY SHORING TO BE DESIGNED AND DETAILED BY CONTRACTOR AND SHALL BE APPROVED BY ENGINEER PRIOR TO INSTALLATION. SEE SPECIAL PROVISION ITEM 950.1 FOR DESIGN REQUIREMENTS.
9. SHIFT TRAFFIC TO WESTBOUND SIDE OF WEST MAIN STREET AND ACCOMMODATE ONE LANE OF ALTERNATING TWO-WAY TRAFFIC.
10. COORDINATE WITH VERIZON AND SUPPORT THEIR WORK TO REMOVE EXISTING TELECOM CONDUIT FROM DUCT BANK OVER THE BRIDGE AND IN ROADWAY APPROACHES. CONTRACTOR TO COORDINATE WITH VERIZON/OTHERS ON THE REMOVAL LIMITS NEEDED IN BOTH APPROACHES.
11. REMOVE EXISTING SUPERSTRUCTURE AND SUBSTRUCTURE AS NECESSARY AND INSTALL STAGE 1A SHEETING AND STAGE 1 SUPPORT OF EXCAVATION. IF REMOVAL LIMITS IMPACT THE EXISTING WATER AND SEWER LINES, TEMPORARILY RELOCATE WATER AND SEWER BEFORE PARTIAL SUPERSTRUCTURE AND SUBSTRUCTURE REMOVAL.
12. COORDINATE WITH VERIZON AND SUPPORT THEIR WORK TO CONSTRUCT UTILITY BRIDGE AND SUPPORT 12 - 4" CONDUIT ON UTILITY BRIDGE. CONSTRUCTION OF THE UTILITY BRIDGE AND SUPPORT OF THE CONDUIT SHALL BE DONE BY OTHERS. CONTRACTOR IS RESPONSIBLE FOR COORDINATION REQUIRED WITH VERIZON/VERIZON'S REPRESENTATIVE TO COMPLETE THIS WORK.




STAGE 1A CONSTRUCTION
SCALE: 1/4" = 1'-0"

ISSUED FOR CONSTRUCTION	
DATE	DESCRIPTION
USE ONLY PRINTS OF LATEST DATE	

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	27	44

STAGE CONSTRUCTION
SECTION II



NOTE:
CONSTRUCTION STAGE LIMITS ARE APPROXIMATE
AND MAY BE ADJUSTED FOR ACTUAL PRECAST
CONCRETE RIGID FRAME SECTION WIDTHS.

STAGE 1B CONSTRUCTION

SCALE: 1/4" = 1'-0"


STAGE 1 – CONSTRUCTION (CONTINUED)

STAGE 1B

- IF NOT ALREADY RELOCATED PER STAGE 1A NOTE 11, TEMPORARILY RELOCATE WATER MAIN AND SEWER MAIN.
- REMOVE SUPERSTRUCTURE TO STAGE 1 REMOVAL LIMITS.
- REMOVE SUBSTRUCTURE TO THE APPROXIMATE LIMITS INDICATED.
- INSTALL STAGE 1B STEEL SHEETING, TO BE LEFT IN PLACE, AT STAGE 1 CONSTRUCTION LIMITS OF CAST-IN-PLACE FOOTING AND PEDESTAL. COORDINATE LATERAL ADJUSTMENT OF TEMPORARILY SUPPORTED CONDUIT WITH VERIZON/VERIZON'S REPRESENTATIVE IN ORDER TO INSTALL STAGE 1B SHEETING AND COMPLY WITH NATIONAL GRID GENERAL GUIDELINES FOR WORKING AROUND GAS UTILITIES (TYP.).
- INSTALL STEEL SHEETING TO BE LEFT IN PLACE ALONG FOOTING TOE, CONSTRUCT CAST-IN-PLACE FOOTINGS AND PEDESTALS UP TO STAGE 1B STEEL SHEETING, AND INSTALL PARTIALLY GROUTED RIPRAP.
- INSTALL PRECAST RIGID FRAME AND WINGWALLS WITHIN STAGE 1 LIMITS OF CONSTRUCTION.
- RELOCATE WATER MAIN AND SEWER MAIN TO PERMANENT LOCATIONS.
- CONSTRUCT PERMANENT UTILITY SUPPORT IN STAGE 1 SEGMENT OF THE BRIDGE AND RELOCATE (12) 4" CONDUITS ONTO THE FINAL SUPPORTS (BY OTHERS).
- REMOVE UTILITY BRIDGE (BY OTHERS).

STAGE 1C

- CONSTRUCT HEADWALL PORTION OF THE SOUTH CAST-IN-PLACE SIDEWALK.
- INSTALL STAGE 2 SUPPORT OF EXCAVATION AND BACKFILL RIGID FRAME.
- INSTALL EASTBOUND BRIDGE RAILING AND APPROACH RAILING.
- COORDINATE RELOCATION OF OVERHEAD UTILITIES AND POLE #18 AND #19 AS SHOWN.
- CONSTRUCT CAST-IN-PLACE CONCRETE OVERLAY AND INSTALL MEMBRANE WATERPROOFING TO THE STAGE 1 LIMITS SHOWN. INSTALLATION AND PROTECTION OF MEMBRANE WATERPROOFING SHALL BE PER MANUFACTURER'S RECOMMENDATIONS.
- INSTALL NEW 8" AND 12" DIAMETER GAS LINE, TO REPLACE EXISTING 4" AND 8" DIAMETER GAS LINE, IN PERMANENT LOCATION (BY OTHERS). INSTALL TO STAGE 1 LIMITS AND CAP TO BE CONNECTED AND BROUGHT ONLINE DURING STAGE 2 (TO BE COORDINATED WITH GAS UTILITY).
- REMOVE AND RESET BRACED PORTABLE CONCRETE BARRIER.



NOTE:
CONSTRUCTION STAGE LIMITS ARE APPROXIMATE
AND MAY BE ADJUSTED FOR ACTUAL PRECAST
CONCRETE RIGID FRAME SECTION WIDTHS.

STAGE 1C CONSTRUCTION

SCALE: 1/4" = 1'-0"


ISSUED FOR CONSTRUCTION	
DATE	DESCRIPTION
	USE ONLY PRINTS OF LATEST DATE

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	28	44

PROJECT FILE NO. 17-023.01
STAGE CONSTRUCTION
SECTION III

STAGE CONSTRUCTION SECTION III.DWG Plotted on 23-Dec-2024 1:02 PM

924001 Final Structural Submittal (SF) 23 December 2024



STAGE 2 CONSTRUCTION

SCALE: 1/4" = 1'-0"

NOTE:
CONSTRUCTION STAGE LIMITS ARE APPROXIMATE
AND MAY BE ADJUSTED FOR ACTUAL PRECAST
CONCRETE RIGID FRAME SECTION WIDTHS.

STAGE 2 – CONSTRUCTION


STAGE 2

1. SHIFT TRAFFIC TO THE EASTBOUND SIDE OF WEST MAIN STREET AND ACCOMMODATE ONE LANE OF ALTERNATING TWO-WAY TRAFFIC.
2. EXCAVATE FOR STAGE 2 CONSTRUCTION AND REMOVE STAGE 1 SUPPORT OF EXCAVATION. COORDINATE WITH GAS UTILITY FOR CONNECTION AND REMOVAL OF ABANDONED GAS LINES.
3. REMOVE ABANDONED PORTIONS OF 4" AND 8" DIAMETER GAS MAINS. COORDINATE WITH GAS UTILITY FOR CONNECTION AND REMOVAL OF ABANDONED GAS LINES.
4. REMOVE TEMPORARY SHORING, REMAINING PORTION OF SUPERSTRUCTURE AND REMAINING PORTION OF SUBSTRUCTURE.
5. CUT STAGE 1 STEEL SHEETING AT PHASE CONSTRUCTION JOINT TO BOTTOM OF FOOTING.
6. INSTALL REMAINING SECTIONS OF STEEL SHEETING TO BE LEFT IN PLACE ALONG FOOTING TOE, CONSTRUCT REMAINING PORTIONS OF CAST-IN-PLACE FOOTING AND PEDESTAL, AND INSTALL PARTIALLY GROUTED RIPRAP.
7. INSTALL PRECAST RIGID FRAME WITHIN STAGE 2 LIMITS OF CONSTRUCTION.
8. BACKFILL BEHIND STAGE 2 RIGID FRAMES AND REMOVE STAGE 2 SUPPORT OF EXCAVATION.
9. REMOVE WATER DIVERSION.
10. CONSTRUCT NORTH CURB AND INSTALL BRIDGE AND APPROACH RAILING.
11. COORDINATE THE RELOCATION OF OVERHEAD UTILITIES AND POLE #18 AND #19 TO THE FINAL LOCATIONS SHOWN.
12. CONSTRUCT CAST-IN-PLACE CONCRETE OVERLAY AND INSTALL MEMBRANE WATERPROOFING TO THE STAGE 2 LIMITS SHOWN. INSTALLATION AND PROTECTION OF MEMBRANE WATERPROOFING SHALL BE PER MANUFACTURER'S RECOMMENDATIONS.
13. PAVE SUPERPAVE BRIDGE PROTECTIVE COURSE TO THE STAGE 2 LIMITS SHOWN.

STAGE 3 – REMAINING WORK

STAGE 3A

1. CONSTRUCT CAST-IN-PLACE CONCRETE OVERLAY TO THE STAGE 3A LIMITS SHOWN. CONSTRUCT THE NORTH SIDEWALK AND INSTALL MEMBRANE WATERPROOFING TO THE STAGE 3A LIMITS SHOWN. INSTALLATION AND PROTECTION OF MEMBRANE WATERPROOFING SHALL BE PER MANUFACTURER'S RECOMMENDATIONS.
2. MAINTAIN TRAFFIC TO THE EASTBOUND SIDE OF WEST MAIN STREET AND ACCOMMODATE ONE LANE OF ALTERNATING TWO-WAY TRAFFIC.
3. CONSTRUCT REMAINING PORTION OF NORTH SIDEWALK AND CAST-INPLACE CONCRETE OVERLAY.




STAGE 3A CONSTRUCTION

SCALE: 1/4" = 1'-0"

ISSUED FOR CONSTRUCTION	
DATE	DESCRIPTION
	USE ONLY PRINTS OF LATEST DATE

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	29	44
PROJECT FILE NO. 17-023.01			

STAGE CONSTRUCTION
SECTION IV



STAGE 3 – REMAINING WORK (CONTINUED)

STAGE 3B


1. ACCOMMODATE PEDESTRIAN TRAFFIC ON THE NORTH SIDEWALK
2. SHIFT TRAFFIC TO THE WESTBOUND SIDE OF WEST MAIN STREET AND ACCOMMODATE ONE LANE OF ALTERNATING TWO-WAY TRAFFIC.
3. CONSTRUCT THE SOUTH SIDEWALK.
4. REMOVE PORTABLE CONCRETE BARRIER-BRACED AND RESTORE TWO-WAY TRAFFIC.
5. PAVE SUPERPAVE BRIDGE SURFACE COURSE. FLAGGERS MAY BE NEEDED FOR PAVING OPERATIONS.

DATE	DESCRIPTION
	ISSUED FOR CONSTRUCTION
	USE ONLY PRINTS OF LATEST DATE

AYER
WEST MAIN STREET

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	30	44
PROJECT FILE NO.		17-023.01	

STAGE CONSTRUCTION
PLAN I



STAGE 1 CONSTRUCTION
(STAGE 1B SHOWN)
SCALE: 1" = 5'

NOTE:




- EXISTING WATER AND SEWER MUST REMAIN IN SERVICE DURING CONSTRUCTION. TEMPORARY WATER AND SEWER PIPING (AS REQUIRED), AS WELL AS OTHER UTILITIES ARE NOT SHOWN FOR CLARITY.
- STAGE 1A SHOWN.

ISSUED FOR CONSTRUCTION	
DATE	DESCRIPTION
	USE ONLY PRINTS OF LATEST DATE

AYER
WEST MAIN STREET

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	31	44
PROJECT FILE NO.		17-023.01	

STAGE CONSTRUCTION
PLAN II



- NOTE:
- SOME UTILITIES NOT SHOWN FOR CLARITY.
 - COORDINATES OF STAGE 2 UTILITY POLES ARE SUGGESTED BASED ON INITIAL COORDINATION WITH NG ELECTRIC. CONTRACTOR TO FIELD VERIFY LOCATIONS AND COORDINATE WITH ALL NECESSARY UTILITIES TO CONFIRM THAT ACTUAL STAGE 2 POLE LOCATIONS DO NOT CONFLICT WITH ANY REQUIRED STAGE 2 CONSTRUCTION OPERATIONS PRIOR TO POLE RELOCATIONS.
 - POLE 20 IS NOT SHOWN, SEE THE TRAFFIC MANAGEMENT PLANS FOR POLE 20 LOCATIONS THROUGH STAGED CONSTRUCTION.

SUGGESTED STAGE 2 UTILITY POLE WORKING POINT COORDINATES		
POLE	NORTHING	EASTING
18	3029117.7203	630173.8616
19	3029050.7581	630037.8629

STAGE 2 CONSTRUCTION
SCALE: 1" = 5'

ISSUED FOR CONSTRUCTION	
DATE	DESCRIPTION
USE ONLY PRINTS OF LATEST DATE	


AYER
WEST MAIN STREET

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	32	44
PROJECT FILE NO.		17-023.01	

STAGE CONSTRUCTION
PLAN III

Plotted on: 23-Dec-2024 1:03 PM

924001 Final Structural Submittal (SF) 23 December 2024



- NOTE:**
- SOME UTILITIES NOT SHOWN FOR CLARITY.
 - STAGE 3B SHOWN.
 - COORDINATES FOR STAGE 3 UTILITY POLES ARE SUGGESTED BASED ON INITIAL COORDINATION WITH NG ELECTRIC. CONTRACTOR TO FIELD VERIFY LOCATIONS AND COORDINATE WITH ALL NECESSARY UTILITIES TO CONFIRM THAT ACTUAL STAGE 3 POLE LOCATIONS DO NOT CONFLICT WITH ANY REQUIRED STAGE 3 CONSTRUCTION OPERATIONS, AND THAT POLES ACHIEVE THE REQUIRED CLEARANCE FROM PERMANENT BRIDGE AND APPROACH ROADWAY GUARDRAIL. COORDINATION MUST OCCUR PRIOR TO POLE RELOCATIONS.
 - POLE 20 IS NOT SHOWN, SEE THE TRAFFIC MANAGEMENT PLANS FOR POLE 20 LOCATIONS THROUGH STAGED CONSTRUCTION.

SUGGESTED STAGE 3 UTILITY POLE WORKING POINT COORDINATES		
POLE	NORTHING	EASTING
18	3029167.9087	630159.9588
19	3029103.3361	630024.4172



STAGE 3 CONSTRUCTION
SCALE: 1" = 5'

ISSUED FOR CONSTRUCTION	
DATE	DESCRIPTION
USE ONLY PRINTS OF LATEST DATE	

AYER
WEST MAIN STREET

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	33	44
PROJECT FILE NO.		17-023.01	

BRIDGE LAYOUT
PLAN



WORKING POINT COORDINATES		
WP#	NORTHING	EASTING
1	3029116.3259	630052.4169
2	3029124.9277	630070.4726
3	3029100.3644	630082.1746
4	3029072.1900	630095.5970
5	3029065.7386	630082.0552
6	3029145.5721	630113.8063
7	3029136.9702	630095.7506
8	3029112.4069	630107.4526
9	3029084.2325	630120.8750
10	3029092.8343	630138.9308

LEGEND

T.O.H = TOP OF HEADWALL
T.O.W. = TOP OF WINGWALL
B.O.F. = BOTTOM OF FOOTING
T.O.C. = TOP OF CURB
T.O.R. = TOP OF ROADWAY

* ASSUMED DIMENSION, ACTUAL DIMENSIONS TO BE DETERMINED BY FABRICATOR.


BRIDGE LAYOUT PLAN

SCALE: 1/4" = 1'-0"


DATE	ISSUED FOR CONSTRUCTION DESCRIPTION
USE ONLY PRINTS OF LATEST DATE	

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	34	44
PROJECT FILE NO.		17-023.01	

PRECAST CONCRETE RIGID FRAME DETAILS I



- NOTES:**
1. THE SURFACE OF THE PREVIOUSLY CAST CONCRETE SHALL BE BLAST CLEANED, ROUGHENED, WETTED WITH CLEAN WATER, AND THEN FLUSHED WITH A MORTAR COMPOSED OF EQUAL PARTS OF THE CEMENT AND SAND SPECIFIED FOR THE NEW CONCRETE, BEFORE NEW CONCRETE IS PLACED ADJACENT THERETO. NEW CONCRETE SHALL BE PLACED BEFORE MORTAR HAS TAKEN INITIAL SET.
 2. IN LIEU OF THE MORTAR, AN EPOXY ADHESIVE SUITABLE FOR BONDING FRESH CONCRETE TO HARDENED CONCRETE FOR LOAD BEARING APPLICATIONS MAY BE USED. THE EPOXY ADHESIVE SHALL CONFORM TO AASHTO M 235 TYPE V AND SHALL BE APPLIED IN ACCORDANCE WITH THE MANUFACTURER'S RECOMMENDATIONS.
 3. DOWEL BAR SPLICERS SHALL BE USED WHERE USE OF LAP SPLICES IS NOT FEASIBLE.




UTILITY BLOCKOUT DETAIL

SCALE: 1/2" = 1'-0"

- NOTES:**
1. FORMWORK FOR DECK OVERPOUR OVER UTILITY BLOCK OUT MUST BE REMOVED AFTER CONCRETE PLACEMENT; STAY-IN-PLACE FORMS NOT PERMITTED. COORDINATE UTILITY SUPPORT DETAILS WITH VERIZON AND PRECAST MANUFACTURER. REFER TO SPECIAL PROVISION FOR ITEM 1000.1 FOR FURTHER INFORMATION.

CONCRETE CONSTRUCTION JOINT OVERLAY DETAIL

SCALE: 3/4" = 1'-0"




THROUGH CONDUIT BLOCKOUT

DETAIL A

SCALE: 3/4" = 1'-0"


- NOTES:**
1. 4" DIAMETER WEEP HOLES IN EACH PRECAST CONCRETE RIGID FRAME SECTION (1'-0" ABOVE PEDESTAL WALL KEYWAY). PROVIDE 1 CUBIC YARD OF CRUSHED STONE AT EACH END OF WEEP HOLE.
 2. CONCRETE FOR PEDESTAL WALL AND FOOTING SHALL BE 4000 PSI, 1 1/2 IN, 565 CEMENT CONCRETE.
 3. CONCRETE FOR PRECAST CONCRETE RIGID FRAME SHALL BE 5000 PSI, 3/4 IN, 685 HP CEMENT CONCRETE.
 4. CONCRETE FOR CAST-IN-PLACE CONCRETE OVERLAY, SIDEWALKS AND HEADWALLS SHALL BE 5000 PSI, 3/4 IN, 685 HP CEMENT CONCRETE.
 5. ALL REINFORCEMENT AND SUPPORT DEVICES FOR THE PRECAST CONCRETE RIGID FRAME, CAST-IN-PLACE CONCRETE CLOSURE POUR, CAST-IN-PLACE OVERLAY, SIDEWALK AND HEADWALLS SHALL BE COATED.
 6. REINFORCEMENT FOR THE CAST-IN-PLACE CONCRETE OVERLAY SHALL BE PLACED TO PROVIDE 2" OF CLEAR COVER. LONGITUDINAL REINFORCEMENT SHALL BE PLACED PARALLEL TO THE CENTERLINE OF CONSTRUCTION. TRANSVERSE REINFORCEMENT SHALL BE PLACED PERPENDICULAR TO THE CENTERLINE OF CONSTRUCTION.
 7. THE FINISHED SURFACE OF THE CAST-IN-PLACE CONCRETE OVERLAY SHALL BE SMOOTH AND WITHOUT ANY PROJECTIONS THAT COULD PUNCTURE THE MEMBRANE WATERPROOFING OR DEPRESSIONS THAT COULD RETAIN WATER.
 8. THE FACTORED BEARING PRESSURE = 3.8 KSF AS PER AASHTO LRFD BRIDGE DESIGN SPECIFICATIONS STRENGTH 1 LOAD COMBINATION.
 9. FACTORED BEARING RESISTANCE = 6.8 KSF. FACTORED BEARING RESISTANCE IS THE PRODUCT OF THE NOMINAL BEARING RESISTANCE AND A RESISTANCE FACTOR OF 0.45.



TYPICAL FRAME SECTION

DETAIL A

SCALE: 3/4" = 1'-0"




* ASSUMED DIMENSIONS, ACTUAL DIMENSIONS TO BE DETERMINED BY THE FABRICATOR.

TRANSVERSE BRIDGE SECTION

SCALE: 1/4" = 1'-0"

NOTE PARTIALLY GROUTED RIPRAP NOT SHOWN FOR CLARITY.




LONGITUDINAL BRIDGE SECTION

SCALE: 1/4" = 1'-0"

ISSUED FOR CONSTRUCTION	
DATE	DESCRIPTION
USE ONLY PRINTS OF LATEST DATE	


STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	35	44
PROJECT FILE NO.		17-023.01	

PRECAST CONCRETE
RIGID FRAME DETAILS II



NOTE:
1. TURN MEMBRANE UP INTO 3" HIGH POCKET.

FACE OF SIDEWALK CURB DETAILS
SCALE: 3" = 1'-0"




** HEADWALL REINFORCING CAPACITY SHALL MEET OR EXCEED THAT SHOWN.

NOTE:

- #6 DOWEL BAR AT SOUTH HEADWALL. #6 MECHANICAL SPLICER AT NORTH SIDEWALK.
- COORDINATE UTILITY SUPPORT DETAILS WITH NG GAS AND PRECAST MANUFACTURER. REFER TO SPECIAL PROVISION FOR ITEM 1000.2 FOR FURTHER INFORMATION.

HEADWALL AND SIDEWALK DETAIL


(SOUTH SIDE SHOWN, NORTH SIDE SIMILAR)
SCALE: 3/4" = 1'-0"



* ASSUMED DIMENSION, ACTUAL DIMENSION TO BE DETERMINED BY FABRICATOR.

FOOTING AND PEDESTAL WALL MASONRY

SCALE: 3/4" = 1'-0"




NOTES:

- 3"x3/4"x4 1/2" DEEP MOLDED GLASS REINFORCED POLYOLEFIN PLASTIC BOLT POCKETS CAST IN TOP AND LEGS TO ACCEPT 1" DIAMETER GALVANIZED THREADED ROD, NUTS AND WASHERS FOR PERMANENT ASSEMBLY IN FIELD. UPON SUCCESSFUL INSTALLATION, ALL POCKETS SHALL BE THOROUGHLY FILLED IN WITH AN APPROVED, HIGH-STRENGTH NON-SHRINK GROUT AND STRUCK LEVEL.
- A MINIMUM OF 4 MECHANICAL CONNECTORS ARE REQUIRED FOR EACH INTERIOR AND EXTERIOR SEGMENT (2 TOP SLAB AND 1 ON EACH LEG).
- TOP SLAB SHOWN, USE SIMILAR DETAIL FOR RIGID FRAME LEGS.


RIGID FRAME MECHANICAL CONNECTION DETAIL

NOT TO SCALE



FOOTING AND PEDESTAL WALL REINFORCING

SCALE: 3/4" = 1'-0"



* ASSUMED DIMENSION, ACTUAL DIMENSION TO BE DETERMINED BY FABRICATOR.

NOTES:

- CONNECTION PLATES MUST BE POSITIONED WITH SMALL DIA. HOLES TOWARD STRUCTURE.
- ALL HARDWARE TO BE HOT-DIPPED GALVANIZED.
- FABRICATOR TO DESIGN ALL CONNECTION PLATES BUT IN NO CASE SHALL BE SMALLER THAN SHOWN IN DETAIL ABOVE.



TYPICAL WINGWALL TO RIGID FRAME CONNECTION DETAIL

SCALE: 1" = 1'-0"


DATE	ISSUED FOR CONSTRUCTION
	DESCRIPTION
	USE ONLY PRINTS OF LATEST DATE

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	36	44
PROJECT FILE NO.		17-023.01	


PRECAST CONCRETE
RIGID FRAME DETAILS III



FOOTING CONSTRUCTION JOINT DETAIL
SCALE: $\frac{3}{4}$ " = 1'-0"




VERTICAL SECTION THROUGH CONSTRUCTION JOINT
SCALE: $\frac{3}{4}$ " = 1'-0"



NOTES:

1. REINFORCEMENT SHALL BE CONTINUOUS THRU CONSTRUCTION JOINT.

DETAIL 2
SCALE: 1" = 1'-0"



NOTES:


1. 4" DIAMETER WEEP HOLES 10'-0" O.C. PROVIDE 1 CUBIC YARD OF CRUSHED STONE AT EACH END OF WEEP HOLE.
2. CONCRETE FOR PRECAST CONCRETE MODULAR WALL SHALL BE 5000 PSI, 3/4 IN, 685 HP CEMENT CONCRETE.
3. ALL REINFORCEMENT AND SUPPORT DEVICES FOR THE PRECAST CONCRETE MODULAR WALL SHALL BE COATED.
4. GRAVEL BORROW FOR BACKFILLING STRUCTURES AND PIPES SHALL BE 1'-0" BEYOND ANCHOR SYSTEM, IF USED.
5. ALL EXCAVATION, SUPPORT OF EXCAVATION, BACKFILL MATERIAL, BITUMINOUS DAMP-PROOFING AND LEVELING PAD MATERIAL FOR THE INSTALLATION OF THE PRECAST CONCRETE MODULAR WALL (PCM) IS INCIDENTAL TO THE PCM WALL.
6. NATIVE MATERIAL OR NATURAL STREAMBED MATERIAL SHALL BE USED TO ESTABLISH PROPOSED GRADES BELOW MEAN ANNUAL HIGH WATER.

TYPICAL PRECAST CONCRETE MODULAR WALL SECTION
SCALE: $\frac{1}{2}$ " = 1'-0"

DATE	ISSUED FOR CONSTRUCTION
	DESCRIPTION
	USE ONLY PRINTS OF LATEST DATE


STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	37	44
PROJECT FILE NO.		607550	

UTILITY SUPPORT
DETAILS




NOTE
1. PROVIDE 3 UTILITY SUPPORT HANGERS
EQUALLY SPACED ACROSS BRIDGE SPAN.

UTILITY SUPPORT AT WATER MAIN
SCALE: 1" = 1'-0"




NOTE
1. PROVIDE 3 UTILITY SUPPORT HANGERS
EQUALLY SPACED ACROSS BRIDGE SPAN.

UTILITY SUPPORT AT SEWER MAIN
SCALE: 1" = 1'-0"



- NOTES
- SEWER MAIN LONGITUDINAL SHOWN, WATER MAIN LONGITUDINAL SECTION SIMILAR.
 - 18" GALV. WATER SLEEVE.
 - 12" WATER W/2" THICK INSULATION AND ALUMINUM JACKET.
 - FOR LOCATIONS AND ADDITIONAL INFORMATION REGARDING PENETRATIONS NECESSARY FOR RELOCATED GAS MAINS, SEE THE WALL PENETRATIONS SHEET OF THE NATIONAL GRID GAS MAIN RELOCATION PLANS IN APPENDIX M OF THE SPECIFICATIONS.

PENETRATION SLEEVE LONGITUDINAL SECTION
SCALE: 3/4" = 1'-0"



NOTES:

- THIS DETAIL APPLIES TO THE PENETRATION THROUGH THE PRECAST CONCRETE RIGID FRAME LEG DUE TO THE WATER MAIN, GAS MAIN, AND SEWER MAIN UTILITIES.
- THIS DETAIL APPLIES TO THE PENETRATION THROUGH THE NORTHEAST AND NORTHWEST PRECAST CONCRETE MODULAR WALLS DUE TO DRAINAGE PIPES.
- REINFORCING SHALL MEET OR EXCEED THAT SHOWN.


ADDITIONAL REINFORCING AT PIPE PENETRATIONS
SCALE: 1" = 1'-0"

DATE	ISSUED FOR CONSTRUCTION DESCRIPTION
	USE ONLY PRINTS OF LATEST DATE


STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	38	44
PROJECT FILE NO.		17-023.01	

HIGHWAY GUARDRAIL
TRANSITION BASE DETAILS

HIGHWAY GUARDRAIL TRANSITION BASE DETAILS.DWG 5-Dec-2013




**PRECAST GUARDRAIL TRANSITION
ELEVATION AT U-WINGWALL**
SCALE: 1/4" = 1'-0"



NOTE:
REINFORCEMENT OF THE TRANSITION TOP IS NOT SHOWN FOR CLARITY.

SECTION 2
SCALE: 1/2" = 1'-0"



SECTION 3
SCALE: 1/2" = 1'-0"

NOTES:












1. PRECAST GUARDRAIL TRANSITION SHALL BE 5000 PSI, 3/4 IN, 685 HP CEMENT CONCRETE.
2. GRAVEL BORROW SHALL BE PLACED AND THOROUGHLY COMPACTED TO THE GRADE OF 3" (MIN.) BELOW THE INTENDED BOTTOM OF THE PRECAST GUARDRAIL TRANSITION BASE AND TO A HEIGHT OF 2'-0" (MIN.) ON ALL SIDES OF THE TRANSITION TO FORM A TRENCH IN WHICH TO SET THE TRANSITION. WHERE NO GRAVEL BORROW IS REQUIRED BELOW THE BASE, IT SHALL BE PLACED ON UNDISTURBED SOIL.
3. CONTRACTOR SHALL SET THE PRECAST GUARDRAIL TRANSITION TO THE REQUIRED ELEVATION AND ALIGNMENT, AND BACKFILL PRECAST GUARDRAIL TRANSITION WITH CONTROLLED DENSITY FILL (NON-EXCAVATABLE) TO THE ELEVATION SHOWN.

DATE	ISSUED FOR CONSTRUCTION
	DESCRIPTION
	USE ONLY PRINTS OF LATEST DATE

924001 Final Structural Submittal (SF)

AYER WEST MAIN STREET			
STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	39	44
PROJECT FILE NO.		17-023.01	

HIGHWAY GUARDRAIL TRANSITION DETAILS



- NOTES:**
- THREADED INSERTS SHALL BE PREQUALIFIED BY THE MANUFACTURER AS BEING CAPABLE OF DEVELOPING A NOMINAL SHEAR RESISTANCE OF 20 KIPS PER 7/8" Ø S.S. BOLT. S.S. BOLTS SHALL BE 7/8" Ø x 1 1/2" LONG FULLY THREADED AISI TYPE 304N STAINLESS STEEL. INSERTS FOR 7/8" S.S. BOLTS SHALL BE GALVANIZED AND CAST INTO THE TRANSITION.
 - FOR AN APPROACH GRADE UP TO 3%, THE TRANSITION MAY BE CAST SQUARE AND SET PLUMB WITH THE MINIMUM EMBEDMENT DEPTH SHOWN. THE TERMINAL CONNECTOR INSERT GROUP SHALL BE SQUARE TO THE POST.

FOR AN APPROACH GRADE IN EXCESS OF 3%, THE TRANSITION TOP AND THE TOP OF CURB SHALL FOLLOW THE APPROACH GRADE. THE HEIGHT OF THE TRANSITION TOP SHALL VARY PROVIDED THAT THE MINIMUM DIMENSIONS SHOWN ON THE CONSTRUCTION DRAWINGS ARE MET. THE BOTTOM OF THE TRANSITION BASE SHALL BE SET LEVEL WITH THE MINIMUM EMBEDMENT DEPTH SHOWN. THE TERMINAL CONNECTOR INSERT GROUP SHALL BE SLOPED TO FOLLOW THE APPROACH GRADE.
 - USE LATEST CONTRACT COMPLETION YEAR IN EFFECT WHEN THE FIRST GUARDRAIL TRANSITION IS CAST. USE THIS YEAR FOR ALL GUARDRAIL TRANSITIONS.
 - ALL CONCRETE FOR THE PRECAST HIGHWAY GUARDRAIL TRANSITION SHALL BE 5000 PSI, 3/4", 685 HP CEMENT CONCRETE.
 - LIFTING DEVICES (NOT SHOWN), INCLUDING THEIR NUMBER AND LOCATION, SHALL BE DESIGNED AND DETAILED BY THE PRECASTER. THEY SHALL BE GALVANIZED AND SHALL BE PLACED AND RECESSED IN POCKETS TO PROVIDE 1 1/2" CLEAR COVER TO THE FACE OF THE TRANSITION CONCRETE. THESE DEVICES SHALL BE CLEARLY SHOWN ON THE SHOP DRAWINGS ALONG WITH ALL SUPPORTING CALCULATIONS AND/OR CATALOG CUTS. ONCE THE PRECAST TRANSITION IS SET IN PLACE, THE LIFTING DEVICE POCKETS SHALL BE FILLED WITH A NON-SHRINK GROUT THAT MATCHES THE COLOR OF THE TRANSITION CONCRETE WHEN CURED AND THE FILLED POCKETS SHALL BE RUBBED WITH A CORUNDUM STONE TO BLEND OUT THE JOINTS.




ISSUED FOR CONSTRUCTION	
DATE	DESCRIPTION
USE ONLY PRINTS OF LATEST DATE	

TOP OF PRECAST HIGHWAY GUARDRAIL TRANSITION FOR S3-TL4 RAILING




924001 Final Structural Submittal (SF) 9-Dec-2013 HIGHWAY GUARDRAIL TRANSITION DETAILS.DWG

AYER WEST MAIN STREET			
STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA	-	40	44
PROJECT FILE NO.		17-023.01	





S3-TL4 BRIDGE RAIL






NOTE:
ELEVATION AT SIDEWALK SHOWN. ELEVATION AT SAFETY CURB SIMILAR EXCEPT AS NOTED.



NOTE:
CONNECTIONS AT LOWER RAILS SHOWN. CONNECTIONS AT TOP RAIL SIMILAR.



- RAILING NOTES:**
- RAIL POST AND BASE PLATES SHALL CONFORM TO THE REQUIREMENTS OF AASHTO M 270 GRADE 50. HOLLOW RAILING STRUCTURAL TUBING (HSS) SHALL CONFORM TO THE REQUIREMENTS OF ASTM A 500 WITH A CERTIFIED $F_y = 50$ KSI MINIMUM. THE MINIMUM HORIZONTAL BENDING RADIUS OF THE HSS TUBING SHALL BE 8 FEET. PICKET CARRIER ANGLES, ANCHOR PLATES, AND SPlice TUBE PLATES SHALL CONFORM TO THE REQUIREMENTS OF AASHTO M 270 GRADE 36. PICKET TUBING SHALL CONFORM TO ASTM A 513 WITH $F_y = 36$ KSI MIN. OR A 500 GRADE B.
 - ALL STEEL (EXCEPT THE 3/8" ANCHOR PLATE AND FASTENERS) SHALL BE GALVANIZED AND PAINTED DARK BRONZE (FEDERAL STD. 595B COLOR NO. 10045). ANCHOR PLATE SHALL BE GALVANIZED ONLY. HEADS OF 7/8" ROUND HEAD BOLTS SHALL BE PAINTED TO MATCH RAIL.
 - ANCHOR BOLTS SHALL BE SET WITH TEMPLATES. THE NUT SECURING THE POST BASE PLATE TO THE CONCRETE SHALL BE TIGHTENED TO A SNUG FIT AND GIVEN AN ADDITIONAL 1/8 TURN AFTER STEEL IS IN PLACE.
 - RAILS SHALL BE CONTINUOUS OVER A MINIMUM OF FOUR (4) POSTS WITHOUT SPlices WHERE POSSIBLE. RAILS SHALL BE SPliced IN THE PANELS OVER EXPANSION JOINT.
 - ENDS OF TUBE SECTIONS SHALL BE SAWED. GRIND SMOOTH EXPOSED EDGES. ALL CUT ENDS SHALL BE TRUE AND SMOOTH.
 - ALL POSTS TO BE PLUMB WHEN PROFILE GRADE EXCEEDS 1.5%. FOR PROFILE GRADES LESS THAN 1.5%, POSTS SHALL BE SET PERPENDICULAR TO GRADE.
 - POST FLANGE WELD DOES NOT REQUIRE MAGNETIC PARTICLE TESTING. WELD SHALL BE BACK-GOUGED ON BACK SIDE EXCEPT AT WEB. WELD IS THE SAME ON BOTH FLANGES.
 - 7/8" ROUND HEAD BOLTS SHALL CONFORM TO THE CHEMICAL AND PHYSICAL REQUIREMENTS OF AASHTO M 164.



S3-TL4 BRIDGE RAILING

ISSUED FOR CONSTRUCTION	
DATE	DESCRIPTION
USE ONLY PRINTS OF LATEST DATE	

SHEET 21 OF 21 SHEETS BRIDGE NO. A-19-014 (C1R)





924001 Final Structural Submittal (SF) 23 December 2024

**AYER
WEST MAIN STREET**

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		41	44

T&B PROJECT FILE NO. 17-023.01

**CROSS SECTIONS - WEST MAIN STREET
SHEET 1 OF 4**




**AYER
WEST MAIN STREET**



STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		42	44





T&B PROJECT FILE NO. 17-023.01

**CROSS SECTIONS - WEST MAIN STREET
SHEET 2 OF 4**



POLE #19
+68.47
24.54' LT





**AYER
WEST MAIN STREET**

STATE	FED. AID PROJ. NO.	SHEET NO.	TOTAL SHEETS
MA		44	44

T&B PROJECT FILE NO. 17-023.01

**CROSS SECTIONS - WEST MAIN STREET
SHEET 4 OF 4**

