GENERAL NOTES:

1. THE CONTRACTOR SHALL SUBMIT A STAKING PLAN FOR APPROVAL.
2. THE CONTRACTOR SHALL SUBMIT THE USE OF ANY OTHER MATERIALS FOR APPROVAL.
3. USE 3 POSTS FOR STAKING TREES 3" CALIPER OR GREATER AND EVERGREEN TREES 8' HIGH OR GREATER
4. USE DOUBLE STRAND 12 GAUGE GALVANIZED GUY WIRE FOR DECIDUOUS TREES GREATER THAN OR EQUAL TO 3" CALIPER AND USE DOUBLE STRAND 10 GAUGE GALVANIZED GUY WIRE FOR EVERGREEN TREES GREATER THAN OR EQUAL TO 8" CALIPER



TWO STAKES



THREE GUYS AND STAKES



STAKING FOR MULTI-STEMMED TREES



DETAIL "AA"
POST AND GUY WIRE

ANCHOR TREE TO POST(S) USING GALVANIZED GUY WIRE AND 3/8" MIN. INSIDE DIAMETER RUBBER HOSE

GUY WIRES SHOULD BE PLACED AT LEAST HALF WAY UP THE TRUNK



DETAIL "BB"
GUY WIRES AROUND TRUNK

ANCHOR TREE TO STAKES USING GALVANIZED GUY WIRES AND 3/8" MIN. INSIDE DIAMETER RUBBER HOSE

GUY WIRES SHOULD BE PLACED AT LEAST HALF WAY UP THE TRUNK

	NOT TO SCALE	SIGNATURE BLOCK: OFFICE OF ENGINEERING 2800 BERLIN TURNPIKE NEWINGTON, CT 06111	SUBMITTED BY: Digitally signed by Leo Fontaine, P.E. Date: 2022.09.27 15:19:25-04'00'	APPROVED BY: Digitally signed by Calabrese, Michael Date: 2022.11.02 10:35:27-04'00'	STATE OF CONNECTICUT DEPARTMENT OF TRANSPORTATION	CTDOT STANDARD SHEET	STANDARD SHEET TITLE: TREE STAKING	STANDARD SHEET NO.: HW- 949_01b

PLOTTED DATE: 9/22/2022